



# Quickie 2

## January 2022

EQ2X

### Mark For:

### Submitting for:

☐ Quote

☐ Order

Date: \_\_\_\_\_

PO#: \_\_\_\_\_

Dealer Acct #: \_\_\_\_\_

Dealer: \_\_\_\_\_

Dealer Contact: \_\_\_\_\_

Dealer Address: \_\_\_\_\_

Dealer City: \_\_\_\_\_

ST: \_\_\_\_\_

ZIP: \_\_\_\_\_

Dealer Phone: ( ) \_\_\_\_\_

Fax: ( ) \_\_\_\_\_

Confirmation Email: \_\_\_\_\_

Confirm Via: ☐ Fax

☐ Email

### ADDITIONAL SHIPPING INFORMATION

Ship To: \_\_\_\_\_

Attention: \_\_\_\_\_

Address: \_\_\_\_\_

Address: \_\_\_\_\_

Ship To City: \_\_\_\_\_

ST: \_\_\_\_\_

ZIP: \_\_\_\_\_

Ship To Phone: ( ) \_\_\_\_\_

Fax: ( ) \_\_\_\_\_

The **HCPCS CODES** herein are based on PDAC verification or interpretation of Medicare definitions and guidelines. Non-Medicare payers may accept alternative **HCPCS CODES**, including misc. codes to ensure access for their enrollees. The use of **HCPCS CODES** does not ensure coverage or payment.

| ✓ | Option # | HCPCS | Definition | Price | ✓ | Option # | HCPCS | Definition | Price |
|---|----------|-------|------------|-------|---|----------|-------|------------|-------|
|---|----------|-------|------------|-------|---|----------|-------|------------|-------|

### 1. FRAME

**NEW!**

#### Base model

E1236 coding still applies for EQ2X with sizes 14" or less.

|                          |          |       |                              |            |
|--------------------------|----------|-------|------------------------------|------------|
| <input type="checkbox"/> | 002WM32  | K0005 | Quickie 2                    | \$2,270.00 |
| <input type="checkbox"/> | 002WM109 | K0005 | Quickie 2 - Transit included | \$2,615.00 |

#### Transit Option

N/A on Stroller Handles (Removable Push Handles) or Xtender

|                          |         |       |                     |          |
|--------------------------|---------|-------|---------------------|----------|
| <input type="checkbox"/> | 002TO46 | K0108 | Transit System WC19 | \$345.00 |
|--------------------------|---------|-------|---------------------|----------|

#### Frame Style

|                          |         |  |                     |    |
|--------------------------|---------|--|---------------------|----|
| <input type="checkbox"/> | 002FS31 |  | Standard Swing Away | NC |
| <input type="checkbox"/> | 002FS30 |  | Hemi Swing Away     | NC |

#### Rear Frame Type (300 lbs. Weight Capacity)

|                          |        |  |                                                                                                        |          |
|--------------------------|--------|--|--------------------------------------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002RS1 |  | Rear Side Frame Straight                                                                               | NC       |
| <input type="checkbox"/> | 002RS2 |  | Rear Side Frame Rounded                                                                                | NC       |
| <input type="checkbox"/> | 002RS3 |  | Depth Adjustable Back (DAB)<br>3.0" of rearward adjustment.<br>N/A w/ swing-away or flip-back armrest. | \$209.00 |

#### Heavy Duty Package

|                          |        |  |                                                                                                                  |          |
|--------------------------|--------|--|------------------------------------------------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002HV1 |  | Heavy Duty (18"-24" Wide only) (350 lbs. weight capacity). Includes Reinforced Back Upholstery & Stabilizer Bar. | \$537.00 |
|--------------------------|--------|--|------------------------------------------------------------------------------------------------------------------|----------|

### 2. SIZE / SEATING

#### Frame Width

|                          |        |       |                                 |          |
|--------------------------|--------|-------|---------------------------------|----------|
| <input type="checkbox"/> | 002W3  |       | 12"                             | NC       |
| <input type="checkbox"/> | 002W4  |       | 13"                             | NC       |
| <input type="checkbox"/> | 002W5  |       | 14"                             | NC       |
| <input type="checkbox"/> | 002W6  |       | 15"                             | NC       |
| <input type="checkbox"/> | 002W7  |       | 16"                             | NC       |
| <input type="checkbox"/> | 002W8  |       | 17"                             | NC       |
| <input type="checkbox"/> | 002W9  |       | 18"                             | NC       |
| <input type="checkbox"/> | 002W10 |       | 19"                             | NC       |
| <input type="checkbox"/> | 002W11 | E2201 | 20"                             | \$537.00 |
| <input type="checkbox"/> | 002W12 | E2201 | 21" (Only Avail. w/ Heavy Duty) | \$537.00 |
| <input type="checkbox"/> | 002W13 | E2201 | 22" (Only Avail. w/ Heavy Duty) | \$537.00 |
| <input type="checkbox"/> | 002W57 | E2201 | B4ME - 23" Width (Heavy Duty)   | \$751.00 |
| <input type="checkbox"/> | 002W58 | E2202 | B4ME - 24" Width (Heavy Duty)   | \$751.00 |

#### Frame Depth

Seat Depth can be ordered up to 3" smaller for growth. Std frame available with 13"-22" frame Depth & HD frame available with 16"-22" frame Depth. Hemi available with 16"-18" & 20"-22" frame depth. Please refer to matrix in page 8 of Appendix for frame Depth Vs seat Depth matrix. Growth is achieved to the front of the depth

|                          |         |  |                        |          |
|--------------------------|---------|--|------------------------|----------|
| <input type="checkbox"/> | 002FD4  |  | 13"                    | NC       |
| <input type="checkbox"/> | 002FD5  |  | 14"                    | NC       |
| <input type="checkbox"/> | 002FD6  |  | 15"                    | NC       |
| <input type="checkbox"/> | 002FD7  |  | 16"                    | NC       |
| <input type="checkbox"/> | 002FD8  |  | 17"                    | NC       |
| <input type="checkbox"/> | 002FD9  |  | 18"                    | NC       |
| <input type="checkbox"/> | 002FD10 |  | 19" Steel reinforced   | NC       |
| <input type="checkbox"/> | 002FD36 |  | 20" Steel reinforced   | NC       |
| <input type="checkbox"/> | 002FD51 |  | B4ME - 21" Frame Depth | \$644.00 |
| <input type="checkbox"/> | 002FD52 |  | B4ME - 22" Frame Depth | \$644.00 |

#### Seat Depth

12" seat depth not available with Hemi frame

|                          |          |       |                               |          |
|--------------------------|----------|-------|-------------------------------|----------|
| <input type="checkbox"/> | 002SD5   |       | 12"                           | NC       |
| <input type="checkbox"/> | 002SD6   |       | 13"                           | NC       |
| <input type="checkbox"/> | 002SD7   |       | 14"                           | NC       |
| <input type="checkbox"/> | 002SD8   |       | 15"                           | NC       |
| <input type="checkbox"/> | 002SD9   |       | 16"                           | NC       |
| <input type="checkbox"/> | 002SD10  |       | 17"                           | NC       |
| <input type="checkbox"/> | 002SD11  |       | 18"                           | NC       |
| <input type="checkbox"/> | 002SD72  |       | 19"                           | \$81.00  |
| <input type="checkbox"/> | 002SD13  | E2203 | 20"                           | \$590.00 |
| <input type="checkbox"/> | 002SD105 | E2203 | B4ME - 21" Depth              | \$644.00 |
| <input type="checkbox"/> | 002SD106 | E2204 | B4ME - 22" Depth              | \$644.00 |
| <input type="checkbox"/> | 002SD107 | E2203 | B4ME - 21" Depth (Heavy Duty) | \$751.00 |
| <input type="checkbox"/> | 002SD108 | E2204 | B4ME - 22" Depth (Heavy Duty) | \$751.00 |

| ✓                               | Option # | HCPCS | Definition | Price | ✓ | Option # | HCPCS | Definition | Price |
|---------------------------------|----------|-------|------------|-------|---|----------|-------|------------|-------|
| <b>2. SIZE / SEATING (CONT)</b> |          |       |            |       |   |          |       |            |       |

| Seat Sling               |        |  |                     |          |
|--------------------------|--------|--|---------------------|----------|
| <input type="checkbox"/> | 002SL1 |  | Standard Seat Sling | NC       |
| <input type="checkbox"/> | 002SL6 |  | Omit Seat Sling     | -\$15.00 |

| JAY Cushions (Optional)                                                     |         |       |                        |            |
|-----------------------------------------------------------------------------|---------|-------|------------------------|------------|
| To order any JAY cushions on-chair, please see the JAY price list.          |         |       |                        |            |
| Cushion name or part number must be filled out with desired width and depth |         |       |                        |            |
|                                                                             |         |       | JAY Bundled Cushion    |            |
| <input type="checkbox"/>                                                    | 002JC20 |       | Cushion Name or Part # | Price List |
|                                                                             |         |       | Width:                 | Depth:     |
| Cushion                                                                     |         |       |                        |            |
| <input type="checkbox"/>                                                    | 002CU1  | K0669 | 2" Cushion             | \$161.00   |

### 3. CASTERS / SEAT HEIGHT


| Front Seat Height                                                           |         |       |    |                          |         |       |    |
|-----------------------------------------------------------------------------|---------|-------|----|--------------------------|---------|-------|----|
| Please see matrix on Page 9 for additional information. 13.5"-14" Hemi only |         |       |    |                          |         |       |    |
| 21.5"-22" not available in Hemi Frame                                       |         |       |    |                          |         |       |    |
| <input type="checkbox"/>                                                    | 002SH40 | 13.5" | NC | <input type="checkbox"/> | 002SH18 | 18.0" | NC |
| <input type="checkbox"/>                                                    | 002SH41 | 14.0" | NC | <input type="checkbox"/> | 002SH20 | 18.5" | NC |
| <input type="checkbox"/>                                                    | 002SH42 | 14.5" | NC | <input type="checkbox"/> | 002SH21 | 19.0" | NC |
| <input type="checkbox"/>                                                    | 002SH12 | 15.0" | NC | <input type="checkbox"/> | 002SH23 | 19.5" | NC |
| <input type="checkbox"/>                                                    | 002SH13 | 15.5" | NC | <input type="checkbox"/> | 002SH24 | 20.0" | NC |
| <input type="checkbox"/>                                                    | 002SH14 | 16.0" | NC | <input type="checkbox"/> | 002SH26 | 20.5" | NC |
| <input type="checkbox"/>                                                    | 002SH15 | 16.5" | NC | <input type="checkbox"/> | 002SH27 | 21.0" | NC |
| <input type="checkbox"/>                                                    | 002SH16 | 17.0" | NC | <input type="checkbox"/> | 002SH29 | 21.5" | NC |
| <input type="checkbox"/>                                                    | 002SH17 | 17.5" | NC | <input type="checkbox"/> | 002SH36 | 22.0" | NC |

| Caster Wheels            |         |                |                                                  |          |
|--------------------------|---------|----------------|--------------------------------------------------|----------|
| See matrix on page 9.    |         |                |                                                  |          |
| <input type="checkbox"/> | 002CW1  |                | 3" Micro                                         | NC       |
| <input type="checkbox"/> | 002CW3  |                | 4" Low Profile Polyurethane<br>N/A w/ HD package | NC       |
| <input type="checkbox"/> | 002CW31 |                | 4" Micro Lighted                                 | \$75.00  |
| <input type="checkbox"/> | 002CW72 |                | 4" x 1" Aluminum Polyurethane                    | \$118.00 |
| <input type="checkbox"/> | 002CW44 | E2219          | 4" x 1.25" Semi Pneumatic                        | \$59.00  |
| <input type="checkbox"/> | 002CW64 |                | 4" x 1.5" Aluminum Soft Roll                     | \$199.00 |
| <input type="checkbox"/> | 002CW5  |                | 5" Low Profile Polyurethane                      | NC       |
| <input type="checkbox"/> | 002CW51 |                | 5" Micro Lighted                                 | \$92.00  |
| <input type="checkbox"/> | 002CW6  | E2219          | 5" Soft Roll (Grey)<br>N/A w/ Frog Legs          | \$97.00  |
| <input type="checkbox"/> | 002CW65 |                | 5" x 1" Aluminum Polyurethane                    | \$118.00 |
| <input type="checkbox"/> | 002CW7  | E2219          | 5" x 1.5" Semi-Pneumatic                         | \$92.00  |
| <input type="checkbox"/> | 002CW66 |                | 5" x 1.5" Aluminum Soft Roll                     | \$209.00 |
| <input type="checkbox"/> | 002CW34 |                | 6" Polyurethane                                  | NC       |
| <input type="checkbox"/> | 002CW33 | E2214<br>E2215 | 6" Pneumatic                                     | \$81.00  |
| <input type="checkbox"/> | 002CW35 | E2219          | 6" x 1.5" Semi Pneumatic                         | \$92.00  |
| <input type="checkbox"/> | 002CW68 |                | 6" x 1.5" Aluminum Soft Roll                     | \$220.00 |
| <input type="checkbox"/> | 002CW16 |                | 7" Polyurethane                                  | NC       |
| <input type="checkbox"/> | 002CW32 |                | 8" Polyurethane                                  | NC       |
| <input type="checkbox"/> | 002CW21 | E2214<br>E2215 | 8" Pneumatic                                     | \$92.00  |
| <input type="checkbox"/> | 002CW39 | E2219          | 8" x 1.5" Semi Pneumatic                         | \$92.00  |
| <input type="checkbox"/> | 002CW36 | E2214<br>E2215 | 8" x 2" Pneumatic                                | \$156.00 |
| <input type="checkbox"/> | 002CW37 | E2214<br>K0108 | 8" x 2" Pneumatic w/Airless Insert               | \$242.00 |

| Caster Housing                                                     |         |  |                                                      |         |
|--------------------------------------------------------------------|---------|--|------------------------------------------------------|---------|
| Integral bearing forks only available with Integral caster housing |         |  |                                                      |         |
| <input type="checkbox"/>                                           | 002CP2  |  | Standard                                             | NC      |
| <input type="checkbox"/>                                           | 002CP14 |  | Integral Caster Housing<br>N/A with caster Pin locks | \$81.00 |

| Caster Fork                                                                                                  |         |       |                                                                     |          |
|--------------------------------------------------------------------------------------------------------------|---------|-------|---------------------------------------------------------------------|----------|
| Please see matrix on Page 9 for additional information. Frog Legs not available with Integral caster housing |         |       |                                                                     |          |
| <input type="checkbox"/>                                                                                     | 002CF46 |       | Multi Position Fork-Short                                           | NC       |
| <input type="checkbox"/>                                                                                     | 002CF47 |       | Multi Position Fork- Tall                                           | NC       |
| <input type="checkbox"/>                                                                                     | 002CF62 |       | 3" Fork                                                             | NC       |
| <input type="checkbox"/>                                                                                     | 002CF12 |       | 5 1/4" Fork                                                         | NC       |
| <input type="checkbox"/>                                                                                     | 002CF17 |       | 6 " Fork                                                            | NC       |
| <input type="checkbox"/>                                                                                     | 002CF23 |       | 7" Fork                                                             | NC       |
| <input type="checkbox"/>                                                                                     | 002CF29 |       | 8" x 2" Fork                                                        | NC       |
| <input type="checkbox"/>                                                                                     | 002CF65 |       | Multiple Position<br>Integral caster housing only                   | NC       |
| <input type="checkbox"/>                                                                                     | 002CF69 |       | Multiple Position Single Sided Fork<br>Integral caster housing only | \$182.00 |
| <input type="checkbox"/>                                                                                     | 002CF53 | E1015 | Frog Legs Suspension (0-100 lbs)                                    | \$467.00 |
| <input type="checkbox"/>                                                                                     | 002CF54 | E1015 | Frog Legs Suspension (101-190 lbs)                                  | \$467.00 |
| <input type="checkbox"/>                                                                                     | 002CF55 | E1015 | Frog Legs Suspension (191-265 lbs)                                  | \$467.00 |

| Caster Options           |        |       |                                                                       |          |
|--------------------------|--------|-------|-----------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002OC1 | K0073 | Caster Pin Locks (N/A w/8"x2")<br>NA w/ Xtender, Frog Legs or Transit | \$209.00 |



#### 4. REAR WHEELS / SEAT HEIGHT

| Rear Seat Height         |         |       |    |                          |         |          |
|--------------------------|---------|-------|----|--------------------------|---------|----------|
| <input type="checkbox"/> | 002RH11 | 13.0" | NC | <input type="checkbox"/> | 002RH26 | 17.5" NC |
| <input type="checkbox"/> | 002RH12 | 13.5" | NC | <input type="checkbox"/> | 002RH20 | 18.0" NC |
| <input type="checkbox"/> | 002RH13 | 14.0" | NC | <input type="checkbox"/> | 002RH27 | 18.5" NC |
| <input type="checkbox"/> | 002RH14 | 14.5" | NC | <input type="checkbox"/> | 002RH21 | 19.0" NC |
| <input type="checkbox"/> | 002RH15 | 15.0" | NC | <input type="checkbox"/> | 002RH37 | 19.5" NC |
| <input type="checkbox"/> | 002RH16 | 15.5" | NC | <input type="checkbox"/> | 002RH22 | 20.0" NC |
| <input type="checkbox"/> | 002RH17 | 16.0" | NC | <input type="checkbox"/> | 002RH38 | 20.5" NC |
| <input type="checkbox"/> | 002RH18 | 16.5" | NC | <input type="checkbox"/> | 002RH23 | 21.0" NC |
| <input type="checkbox"/> | 002RH19 | 17.0" | NC | <input type="checkbox"/> | 002RH39 | 21.5" NC |
|                          |         |       |    | <input type="checkbox"/> | 002RH40 | 22.0" NC |

| Axle Plate               |          |                                                   |          |
|--------------------------|----------|---------------------------------------------------|----------|
| <input type="checkbox"/> | 002AL102 | Standard Adjustable (All in-one)                  | NC       |
| <input type="checkbox"/> | 002AL6   | E0959 Amputee Adjustable<br>N/A w/ Padded Armrest | \$188.00 |

| Axle                     |         |                                                         |          |
|--------------------------|---------|---------------------------------------------------------|----------|
| <input type="checkbox"/> | 002AX1  | Quick Release Steel                                     | NC       |
| <input type="checkbox"/> | 002AX11 | Quad Quick Release<br>5 Spoke Mag & Mountain Wheel only | \$135.00 |

| One Arm Drive                                                                                                                                                                                                                                         |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| N/A w/ Xtender, 12", 23" & 24" wide, amputee axle plates, and small tray table. N/A w/ combination of Padded SA arms and Anti tips. Only available w/ 20", 22", 24" mag wheels. <b>Max weight capacity of 300 lbs. Only available in 6 spoke Mags</b> |  |  |  |

|                          |                              |                                                                           |                              |
|--------------------------|------------------------------|---------------------------------------------------------------------------|------------------------------|
| <input type="checkbox"/> | 002AL16                      | E0958 One Arm Drive Adj. Axle Plate                                       | \$913.00                     |
|                          | <input type="checkbox"/>     | 002OA1 Small Handrim (N/A w/ 20" wheels)                                  | NC                           |
|                          |                              | <input type="checkbox"/> RH position <input type="checkbox"/> LH position |                              |
|                          | <input type="checkbox"/>     | 002OA2 Standard Handrim                                                   | NC                           |
|                          |                              | <input type="checkbox"/> RH position <input type="checkbox"/> LH position |                              |
| Select Wheel Size:       | <input type="checkbox"/> 20" | <input type="checkbox"/> 22"                                              | <input type="checkbox"/> 24" |

| Xtender Power Assist                                                                                                                                                                                       |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|
| RSH of 14.5"-20" for 22" rear wheels and RSH 15.5"-21" for 24" wheels. Front seat height must be greater than rear. N/A w/ Transit Option <b>Max weight capacity of 265 lbs. Available 12"-22" widths.</b> |  |  |  |

| Xtender Power Assist     |        |                                                        |            |
|--------------------------|--------|--------------------------------------------------------|------------|
| <input type="checkbox"/> | 002XT6 | E0986 22" Xtender Power Assist JWX-2<br><b>NICKEL</b>  | \$8,637.00 |
| <input type="checkbox"/> | 002XT7 | E0986 22" Xtender Power Assist JWX-2<br><b>LITHIUM</b> | \$9,496.00 |
| <input type="checkbox"/> | 002XT4 | E0986 24" Xtender Power Assist JWX-2<br><b>NICKEL</b>  | \$8,637.00 |
| <input type="checkbox"/> | 002XT5 | E0986 24" Xtender Power Assist JWX-2<br><b>LITHIUM</b> | \$9,496.00 |

|                                                    |        |                 |    |
|----------------------------------------------------|--------|-----------------|----|
| Please select one of the following handrim options |        |                 |    |
| <input type="checkbox"/>                           | 002XH5 | Plastic Coated  | NC |
| <input type="checkbox"/>                           | 002XH6 | Stainless Steel | NC |

| Xtender - Other Options  |         |                                   |            |
|--------------------------|---------|-----------------------------------|------------|
| <input type="checkbox"/> | 002XA10 | Spare NiMH Power Pack - NICKEL    | \$1,498.00 |
| <input type="checkbox"/> | 002XA11 | Spare Li-ion Power Pack - LITHIUM | \$1,927.00 |

| Xtender Wheel Options    |        |                                               |          |
|--------------------------|--------|-----------------------------------------------|----------|
| <input type="checkbox"/> | 002XA8 | SPARE 22" Lite Spoke Pneu Alum                | NC       |
| <input type="checkbox"/> | 002XA9 | E2211 E2213 SPARE 22" Lite Spoke Pneu Plastic | \$215.00 |
| <input type="checkbox"/> | 002XA2 | SPARE 24" Lite Spoke Pneu Alum                | NC       |
| <input type="checkbox"/> | 002XA4 | E2211 E2213 SPARE 24" Lite Spoke Pneu Plastic | \$215.00 |

| Rear Wheel Type                                                                                                                                                                                                                           |          |                                     |            |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------------|------------|
| Not applicable w/ Xtender Power Assist Option. Ultra Lightweight Wheels only available w/ Alum Anodized Handrim. Handrims cannot be omitted on Lite Spoke Wheels.* Omit Rear wheel will default chair configuration set up to a 24" wheel |          |                                     |            |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW103 | 20" Mag Wheel 5 Spoke               | NC         |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW104 | 22" Mag Wheel 5 Spoke               | NC         |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW102 | 24" Mag Wheel 5 Spoke               | NC         |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW90  | 20" Lite Spoke Wheel                | \$215.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW91  | 22" Lite Spoke Wheel                | \$215.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW92  | 24" Lite Spoke Wheel                | NC         |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW93  | 25" Lite Spoke Wheel                | NC         |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW94  | 26" Lite Spoke Wheel                | \$215.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW77  | 22" Ultra Lightweight Spoke Wheel   | \$268.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW78  | 24" Ultra Lightweight Spoke Wheel   | \$268.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW28  | 22" Spinergy SPOX Black             | \$907.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW95  | 24" Spinergy SPOX Black             | \$907.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW96  | 25" Spinergy SPOX Black             | \$907.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW97  | 26" Spinergy SPOX Black             | \$907.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW32  | 22" Spinergy LX Black               | \$1,138.00 |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW98  | 24" Spinergy LX Black               | \$1,138.00 |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW99  | 25" Spinergy LX Black               | \$1,138.00 |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW40  | 26" Spinergy LX Black               | \$1,138.00 |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW50  | 24" Mountain                        | \$268.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW25  | Omit Rear Wheel and Axle *          | -\$55.00   |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW49  | Omit Rear Wheel (Use w/24" Xtender) | NC         |
| <input type="checkbox"/>                                                                                                                                                                                                                  | 002RW111 | Omit Rear Wheel (Use w/22" Xtender) | NC         |

| NEW! Rear Wheel Tire     |         |                                                                                   |          |
|--------------------------|---------|-----------------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002RT1  | Pneumatic                                                                         | NC       |
| <input type="checkbox"/> | 002RT2  | E2211 E2213 Pneumatic Airless Insert<br>N/A with Xtender.                         | \$92.00  |
| <input type="checkbox"/> | 002RT24 | E2211 E2213 Pneumatic Airless Insert - Infinergy®<br>Lightweight - E-TPU material | \$105.00 |
| <input type="checkbox"/> | 002RT3  | Full Poly                                                                         | NC       |
| <input type="checkbox"/> | 002RT38 | E2218 SHOX Performance Poly                                                       | \$102.00 |
| <input type="checkbox"/> | 002RT25 | E2218 Primo Orion Poly                                                            | \$116.00 |
| <input type="checkbox"/> | 002RT39 | E2211 E2212 High-Pressure Clincher Black                                          | \$102.00 |
| <input type="checkbox"/> | 002RT27 | E2211 E2212 Knobby V-TRAK                                                         | \$102.00 |
| <input type="checkbox"/> | 002RT21 | E2211 E2212 Schwalbe Marathon Plus Evolution                                      | \$151.00 |
| <input type="checkbox"/> | 002RT12 | E2211 E2212 Mountain Tire <i>Only available on 24" Mountain Rear Wheel</i>        | \$102.00 |

| ✓                                          | Option # | HCPCS | Definition | Price | ✓ | Option # | HCPCS | Definition | Price |
|--------------------------------------------|----------|-------|------------|-------|---|----------|-------|------------|-------|
| <b>4. REAR WHEELS / SEAT HEIGHT (CONT)</b> |          |       |            |       |   |          |       |            |       |


#### Rear Seat Height Availability Matrices

Rear tire, side frame, and axle plate selections dictate seat height availability. \*Not all combinations are possible within acceptable seat height ranges

| Rear Tire           | Min RSH | Max RSH |
|---------------------|---------|---------|
| 20" Pneumatic, Poly | 13"     | 19.0"   |
| 22" Pneumatic, Poly | 14.0"   | 20.0"   |
| 22" HP Clincher Blk | 13.5"   | 19.5"   |
| 22" Schwalbe        | 13.5"   | 19.5"   |
| 24" Pneumatic, Poly | 15"     | 21.0"   |
| 24" HP Clincher Blk | 14.5"   | 20.5"   |
| 24" Knobby          | 15"     | 21.0"   |
| 24" Schwalbe        | 14.5"   | 20.5"   |
| 24" SHOX Poly       | 14.5"   | 20.5"   |
| 24" Mountain        | 15.0"   | 21.0"   |
| 25" HP Clincher Blk | 15.0"   | 21.0"   |
| 25" Schwalbe        | 15.0"   | 21.0"   |
| 25" SHOX Poly       | 14.5"   | 20.5"   |
| 26" Pneumatic       | 16.0"   | 22.0"   |
| 26" HP Clincher Blk | 15.5"   | 21.5"   |
| 26" Schwalbe        | 15.5"   | 21.5"   |

| Axle Plate           | Min RSH | Max RSH |
|----------------------|---------|---------|
| Std Adj (All in one) | 13"     | 22.0"   |
| Amputee              | 14"     | 22.0"   |

| Rear Side Frame | Min RSH | Max RSH |
|-----------------|---------|---------|
| Curved          | 13"     | 21.0"   |
| Straight        | 13      | 22.0"   |
| DAB             | 13      | 22.0"   |



| Wheel                                                     | 5 Spoke Mag | Mag      | Lite Spoke  | Ultra Lt wt | Spinergy |
|-----------------------------------------------------------|-------------|----------|-------------|-------------|----------|
| Tire                                                      |             |          |             |             |          |
| Pneumatic                                                 | 20,22,24    | 20,22,24 | 20,22,24,26 |             | 24,26    |
| Pneumatic w/Airless Insert                                | 20,22,24    | 20,22,24 | 20,22,24,26 |             | 24,26    |
| Full Poly Tire                                            | 20,22,24    | 20,22,24 | 20,22,24    |             |          |
| High Pressure Clinch Blk                                  |             |          | 22,24,26    | 22,24       | 22,24,26 |
| Knobby V-TRAK                                             |             |          | 24          |             | 24       |
| Schwalbe Marathon                                         |             |          | 24,25,26    | 22,24       | 24,25,26 |
| SHOX Perform. Poly                                        | 20,22,24    |          | 24,25       |             | 24,25    |
| 20"= 451 mm 22" = 501 mm 24" = 540 mm 25" = 559 26" = 590 |             |          |             |             |          |

#### Handrim

Natural Fits available in 22", 24", and 25". Handrim selection N/A w/ Xtender. Ultra lightweight wheels only available w/ alum anodized handrim. Plastic coated limited to certain rims and sizes. Natural Fit w/ 5 spoke MAG only available in 24"

|                          |         |                                                                                         |          |
|--------------------------|---------|-----------------------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002HR1  | Aluminum Anodized                                                                       | NC       |
| <input type="checkbox"/> | 002HR4  | Plastic Coated - N/A on every rim                                                       | \$118.00 |
| <input type="checkbox"/> | 002HR22 | Natural Fit - Standard Grip                                                             | \$478.00 |
| <input type="checkbox"/> | 002HR25 | Natural Fit - No Thumb Grip                                                             | \$414.00 |
| <input type="checkbox"/> | 002HR23 | Natural Fit - Super Grip                                                                | \$532.00 |
| <input type="checkbox"/> | 002HR30 | Natural Fit LT- Standard Grip                                                           | \$478.00 |
| <input type="checkbox"/> | 002HR31 | Natural Fit LT- Super Grip                                                              | \$532.00 |
| <input type="checkbox"/> | 002HR32 | Natural Fit LT - No Thumb Grip                                                          | \$414.00 |
| <input type="checkbox"/> | 002HR26 | The Surge - Oval w/Gription Strip                                                       | \$429.00 |
| <input type="checkbox"/> | 002HR27 | The Surge LT - Oval w/Gription Strip                                                    | \$462.00 |
| <input type="checkbox"/> | 002HR28 | Q-Grip Neoprene Coated                                                                  | \$376.00 |
| <input type="checkbox"/> | 002HR24 | Spinergy Flex Rim Available on 24" & 25" Spinergy LX wheel                              | \$751.00 |
| <input type="checkbox"/> | 002HR7  | Omit Handrim Option may not be available on all wheels                                  | NC       |
| <input type="checkbox"/> | 002HR8  | 8 Oblique N/A w/ Xtender. Only available with 24" or 26" 6 spokeMag or Lite Spoke rims. | \$349.00 |

#### Camber

|                          |         |              |    |
|--------------------------|---------|--------------|----|
| <input type="checkbox"/> | 002CI1  | 0°           | NC |
| <input type="checkbox"/> | 00217CI | 2° (default) | NC |
| <input type="checkbox"/> | 002CI3  | 4°           | NC |

#### Center of Gravity Preset

Amputee Axle Plate will come preset at 1.0" Center of Gravity (CG), range of adjustment is -3.0" to -1.75" and 1.0" to 3.5" CG.

|                          |        |                |    |
|--------------------------|--------|----------------|----|
| <input type="checkbox"/> | 002CC2 | 1.0" (default) | NC |
| <input type="checkbox"/> | 002CC3 | 1.5"           | NC |
| <input type="checkbox"/> | 002CC4 | 2.0"           | NC |
| <input type="checkbox"/> | 002CC5 | 2.5"           | NC |
| <input type="checkbox"/> | 002CC6 | 3.0"           | NC |
| <input type="checkbox"/> | 002CC7 | 3.5"           | NC |

#### One Arm Drive CG

|                          |         |                      |    |
|--------------------------|---------|----------------------|----|
| <input type="checkbox"/> | 002CC30 | 1AD Forward position | NC |
| <input type="checkbox"/> | 002CC31 | 1AD Reward position  | NC |
| <input type="checkbox"/> | 002CC32 | 1AD Center position  | NC |

### 5. WHEEL LOCKS

#### Wheel Lock

Ergo & compact N/A w/ 13"-14" frame depth or amputee axle plate. Additional No Gos may exist depending on wheel size and position

|                          |         |                             |          |
|--------------------------|---------|-----------------------------|----------|
| <input type="checkbox"/> | 002WL46 | High Mount Push             | NC       |
| <input type="checkbox"/> | 002WL50 | High Mount Pull             | NC       |
| <input type="checkbox"/> | 002WL75 | Ergo Scissor                | \$118.00 |
| <input type="checkbox"/> | 002WL64 | Compact                     | \$151.00 |
| <input type="checkbox"/> | 002WL24 | Unilateral Wheel Lock Right | \$322.00 |
| <input type="checkbox"/> | 002WL23 | Unilateral Wheel Lock Left  | \$322.00 |
| <input type="checkbox"/> | 002WL10 | Omit                        | NC       |

#### Wheel Lock Option

|                          |         |              |    |
|--------------------------|---------|--------------|----|
| <input type="checkbox"/> | 002WL12 | Do Not Mount | NC |
|--------------------------|---------|--------------|----|

#### Extension Handle

N/A w/ ergo scissor or compact wheel locks

|                          |        |       |                         |         |
|--------------------------|--------|-------|-------------------------|---------|
| <input type="checkbox"/> | 002EH7 | E0961 | Extension Handle (Pair) | \$81.00 |
|--------------------------|--------|-------|-------------------------|---------|

#### Grade Aid

Only available w/ high mount push or pull to lock wheel locks on pneumatic or pneumatic w/ airless tire options

|                          |        |       |           |          |
|--------------------------|--------|-------|-----------|----------|
| <input type="checkbox"/> | 002GA1 | E0974 | Grade Aid | \$161.00 |
|--------------------------|--------|-------|-----------|----------|

| ✓                               | Option # | HCPCS | Definition | Price | ✓ | Option # | HCPCS | Definition | Price |
|---------------------------------|----------|-------|------------|-------|---|----------|-------|------------|-------|
| <b>6. HANGER &amp; FOOTREST</b> |          |       |            |       |   |          |       |            |       |

### Hangers

Front mount hangers only available w/ aluminum angle adj footplates.  
ALR/ELR Hangers N/A w/ Push To Lock wheel locks.

|                          |         |       |                                                                                                                        |          |
|--------------------------|---------|-------|------------------------------------------------------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002H145 |       | 60° Swing In/Out Hanger                                                                                                | NC       |
| <input type="checkbox"/> | 002H139 |       | 70° Swing In/Out Hanger                                                                                                | NC       |
| <input type="checkbox"/> | 002H141 |       | 80° Swing In/Out Hanger                                                                                                | NC       |
| <input type="checkbox"/> | 002H154 |       | 60° Swing In/Out Hanger Hemi                                                                                           | NC       |
| <input type="checkbox"/> | 002H155 |       | 70° Swing In/Out Hanger Hemi                                                                                           | NC       |
| <input type="checkbox"/> | 002H140 |       | 70° Swing In/Out Front Mount                                                                                           | NC       |
| <input type="checkbox"/> | 002H142 |       | 80° Swing In/Out Front Mount                                                                                           | NC       |
| <input type="checkbox"/> | 002H158 |       | 90° Swing In/Out Front Mount                                                                                           | NC       |
| <input type="checkbox"/> | 002H159 | K0053 | Articulating Hanger - Ext Mount<br>N/A w/ Platform Flip Up and Alum Angle Adj<br>Front Mount footplates, 14"-22" width | \$397.00 |
| <input type="checkbox"/> | 002H160 | E0990 | Elevating Hanger - Ext Mount<br>N/A w/ Platform Flip Up and Alum Angle Adj<br>Front Mount footplates, 14"-22" width    | \$338.00 |
| <input type="checkbox"/> | 002H161 | E0990 | Elevating Hanger - Front Mount<br>Only available w/ front mount alum angle adj<br>footplates and 14"-22" width         | \$338.00 |
| <input type="checkbox"/> | 002H32  |       | Omit Hanger & Footplate                                                                                                | -\$15.00 |

### Articulating / Elevating Hanger Cover

|                          |         |  |                |          |
|--------------------------|---------|--|----------------|----------|
| <input type="checkbox"/> | 002DI47 |  | Neoprene Cover | \$365.00 |
| <input type="checkbox"/> | 002DI48 |  | Gel Pad Cover  | \$429.00 |

### Footplates

Heel loop or leg strap not included, See Footplate Options Section

|                          |         |       |                                                                                |          |
|--------------------------|---------|-------|--------------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002F1   |       | Composite (13"-22"w)                                                           | NC       |
| <input type="checkbox"/> | 002F271 | K0040 | Composite Angle Adj-(16"-22"w)                                                 | \$194.00 |
| <input type="checkbox"/> | 002F3   | K0040 | Alum Angle Adj - Ext Mt (12"-22"w)                                             | \$204.00 |
| <input type="checkbox"/> | 002F8   | K0040 | Alum Angle Adj - Front Mt(12"-22"w)                                            | \$204.00 |
| <input type="checkbox"/> | 002F5   |       | Alum Footplate - Fixed (14"-22"w)<br>Available w/ Ext Mount ELR or ALR         | NC       |
| <input type="checkbox"/> | 002F48  | K0040 | Platform Flip Up Angle Adj (12"-22"w)<br>N/A w/ Hemi Hangers,ELR/ALR,Front Mnt | \$204.00 |
| <input type="checkbox"/> | 002F7   |       | Omit Footplate & Ext Tube                                                      | -\$15.00 |

### Footplate Options (Ext Tube & Front Mount)

|                          |        |       |           |         |
|--------------------------|--------|-------|-----------|---------|
| <input type="checkbox"/> | 002HL1 | E0951 | Heel Loop | \$43.00 |
| <input type="checkbox"/> | 002HL5 | K0038 | Leg Strap | \$43.00 |

### Footrest Extension Tubes

Required w/ extension tube mounted hangers. See leg length matrix

|                          |        |  |                                                                                                                   |         |
|--------------------------|--------|--|-------------------------------------------------------------------------------------------------------------------|---------|
| <input type="checkbox"/> | 002E61 |  | Short Hemi                                                                                                        | NC      |
| <input type="checkbox"/> | 002E1  |  | Short                                                                                                             | NC      |
| <input type="checkbox"/> | 002E2  |  | Medium                                                                                                            | NC      |
| <input type="checkbox"/> | 002E5  |  | Long                                                                                                              | NC      |
| <input type="checkbox"/> | 002E16 |  | High Mount N/A w/ one-arm drive option<br>or ELR/ALR or 90° front mount. Only<br>available w/angle adj footplates | \$81.00 |
| <input type="checkbox"/> | 002E23 |  | 2" - Front Mount Only N/A w/ 6", 7" or<br>8" casters with 90°hangers, or ELR's                                    | \$59.00 |
| <input type="checkbox"/> | 002E24 |  | 4" - Front Mount Only N/A w/6", 7" or<br>8" casters w/ 90°hangers or ELR/ALR                                      | \$59.00 |

### Lower Leg Length Setting (Extension Mount Only)

Recommend 2" less than FSTFH. (\*)denotes frame, 9" & 9.5" Hemi Only

|                          |         |         |    |                          |         |                |    |
|--------------------------|---------|---------|----|--------------------------|---------|----------------|----|
| <input type="checkbox"/> | 002LO01 | 9.0"(*) | NC | <input type="checkbox"/> | 002LO13 | 15.0"          | NC |
| <input type="checkbox"/> | 002LO02 | 9.5"(*) | NC | <input type="checkbox"/> | 002LO14 | 15.5"          | NC |
| <input type="checkbox"/> | 002LO03 | 10.0"   | NC | <input type="checkbox"/> | 002LO15 | 16.0"          | NC |
| <input type="checkbox"/> | 002LO04 | 10.5"   | NC | <input type="checkbox"/> | 002LO16 | 16.5"          | NC |
| <input type="checkbox"/> | 002LO05 | 11.0"   | NC | <input type="checkbox"/> | 002LO17 | 17.0"          | NC |
| <input type="checkbox"/> | 002LO06 | 11.5"   | NC | <input type="checkbox"/> | 002LO18 | 17.5"          | NC |
| <input type="checkbox"/> | 002LO07 | 12.0"   | NC | <input type="checkbox"/> | 002LO19 | 18.0"          | NC |
| <input type="checkbox"/> | 002LO08 | 12.5"   | NC | <input type="checkbox"/> | 002LO20 | 18.5"          | NC |
| <input type="checkbox"/> | 002LO09 | 13.0"   | NC | <input type="checkbox"/> | 002LO21 | 19.0"          | NC |
| <input type="checkbox"/> | 002LO10 | 13.5"   | NC | <input type="checkbox"/> | 002LO22 | 19.5"          | NC |
| <input type="checkbox"/> | 002LO11 | 14.0"   | NC | <input type="checkbox"/> | 002LO23 | 20.0"          | NC |
| <input type="checkbox"/> | 002LO12 | 14.5"   | NC | <input type="checkbox"/> | 002LO24 | 20.5"Std. Only | NC |

### Z-finity Hangers/Footrest System

(Maximum weight capacity for Z-Finity footrests is 165 lbs)

Some interference may exist in certain configurations. N/A with Heavy Duty

|                          |         |  |                 |          |
|--------------------------|---------|--|-----------------|----------|
| <input type="checkbox"/> | 002H162 |  | Z-finity Hanger | \$376.00 |
|--------------------------|---------|--|-----------------|----------|

### Z-finity Footrest Mount

|                          |         |  |                                     |    |
|--------------------------|---------|--|-------------------------------------|----|
| <input type="checkbox"/> | 002DI22 |  | Direct Hanger Mt/Fixed Frame - High | NC |
| <input type="checkbox"/> | 002DI23 |  | Direct Hanger Mt/Fixed Frame - Low  | NC |
| <input type="checkbox"/> | 002DI24 |  | Extension Tube Mount                | NC |

### Z-finity Footrest Pivot Arm

|                          |         |  |             |    |
|--------------------------|---------|--|-------------|----|
| <input type="checkbox"/> | 002DI20 |  | Short 2"    | NC |
| <input type="checkbox"/> | 002DI21 |  | Long 3 1/4" | NC |

### Z-finity Footplate

Some interference may exist in certain configurations.

|                          |         |       |                                                              |          |
|--------------------------|---------|-------|--------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002F320 | K0040 | Multi Angle Adjustable (Pair)<br>(not avail. w/8"-9" widths) | \$199.00 |
| <input type="checkbox"/> | 002F321 | K0040 | Angle Adjustable Platform Footboard                          | \$230.00 |
| <input type="checkbox"/> | 002F6   |       | Omit Footplate                                               | NC       |

### Z-finity ExtensionTube Length (When Choosing Ext. Tube Mount)

|                          |        |  |            |    |
|--------------------------|--------|--|------------|----|
| <input type="checkbox"/> | 002E62 |  | Hemi Short | NC |
| <input type="checkbox"/> | 002E1  |  | Short      | NC |
| <input type="checkbox"/> | 002E2  |  | Medium     | NC |
| <input type="checkbox"/> | 002E5  |  | Long       | NC |

| ✓                     | Option # | HCPCS | Definition | Price | ✓ | Option # | HCPCS | Definition | Price |
|-----------------------|----------|-------|------------|-------|---|----------|-------|------------|-------|
| 7. BACKREST / SEATING |          |       |            |       |   |          |       |            |       |

| Back Type                |         |                                      |          |
|--------------------------|---------|--------------------------------------|----------|
| <input type="checkbox"/> | 002BT10 | Standard                             | NC       |
| <input type="checkbox"/> | 002BT20 | Angle Adjustable Back (3-5" Pivot)   | \$199.00 |
| <input type="checkbox"/> | 002BT22 | Angle Adjustable Back (5"-7" Pivot)  | \$199.00 |
| <input type="checkbox"/> | 002BT6  | Depth Adjustable (Required with DAB) | NC       |

#### Back Type - Build 4 Me Options

Must choose DAB Back type with B4ME options

|                          |          |                          |                                                                                  |            |
|--------------------------|----------|--------------------------|----------------------------------------------------------------------------------|------------|
| <input type="checkbox"/> | 002BT127 | E2398                    | B4ME - Dynamic Back                                                              | \$1,605.00 |
|                          |          | <input type="checkbox"/> | Fixed Back post                                                                  | NC         |
|                          |          | <input type="checkbox"/> | Std (19") <input type="checkbox"/> Med (22") <input type="checkbox"/> Tall (25") |            |
| <input type="checkbox"/> | 002BT128 | <input type="checkbox"/> | Height Adjustable Stroller handles                                               | NC         |
|                          |          | <input type="checkbox"/> | Std (18"-23") <input type="checkbox"/> Tall (19"-26")                            |            |
|                          |          | E1226                    | B4ME - Reclining Backrest                                                        | \$1,176.00 |
|                          |          | <input type="checkbox"/> | Med (19") <input type="checkbox"/> Tall (22")                                    |            |

#### Back Post Options

Omit push handles N/A w/ stabilizer bar. Folding HA push handle N/A w/8 deg or Low back height.

#### Standard Back type options:

|                          |         |                                                                        |          |
|--------------------------|---------|------------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002BP1  | Push Handle Straight                                                   | NC       |
| <input type="checkbox"/> | 002BP3  | Push Handle 8° Med or Tall only. N/A w/ Angle Adjustable Backrest      | \$38.00  |
| <input type="checkbox"/> | 002BP2  | Omit Push Handle Straight (N/A w/HD)                                   | NC       |
| <input type="checkbox"/> | 002BP4  | Omit Push Handle 8° (N/A w/HD) Med or Tall only                        | \$38.00  |
| <input type="checkbox"/> | 002PH17 | Folding Push Handle with Ht. Adj. Back N/A w/Angle Adj Back & Heavy D. | \$242.00 |

#### Angle Adj Back type options:

|                          |        |                                        |    |
|--------------------------|--------|----------------------------------------|----|
| <input type="checkbox"/> | 002BP5 | Angle Adj. Straight Push Handles       | NC |
| <input type="checkbox"/> | 002BP6 | Angle Adj. Omit Push Handles, N/A w/HD | NC |

#### Back Height (Std or Angle Adjustable\*)

\*For Angle Adj Back see the angle Adj Backrest chart in the right column of the page.

|                          |       |                                        |    |
|--------------------------|-------|----------------------------------------|----|
| <input type="checkbox"/> | 002B1 | Low (9"-12" Std Back height range)     | NC |
| <input type="checkbox"/> | 002B5 | Medium (12"-15" Std Back height range) | NC |
| <input type="checkbox"/> | 002B9 | Tall (16"-19" Std Back height range)   | NC |

#### Back Height Setting (Std or Angle Adjustable)

EXO upholstery not available with 21" back height

|                          |         |     |    |                                   |         |         |    |
|--------------------------|---------|-----|----|-----------------------------------|---------|---------|----|
| <input type="checkbox"/> | 002UX4  | 9"  | NC | <input type="checkbox"/>          | 002UX18 | 16"     | NC |
| <input type="checkbox"/> | 002UX6  | 10" | NC | <input type="checkbox"/>          | 002UX20 | 17"     | NC |
| <input type="checkbox"/> | 002UX8  | 11" | NC | <input type="checkbox"/>          | 002UX22 | 18"     | NC |
| <input type="checkbox"/> | 002UX10 | 12" | NC | <input type="checkbox"/>          | 002UX24 | 19"     | NC |
| <input type="checkbox"/> | 002UX12 | 13" | NC | <input type="checkbox"/>          | 002UX26 | 20" (*) | NC |
| <input type="checkbox"/> | 002UX14 | 14" | NC | <input type="checkbox"/>          | 002UX28 | 21" (*) | NC |
| <input type="checkbox"/> | 002UX16 | 15" | NC | (*)20" & 21" only w/ Ang Adj Back |         |         |    |

#### Stroller Handles (Removable Push Handles)

Only available w/ omit push handles. N/A w/ DAB, amputee axle plate, push handles, or when angle adjustable back is selected, flip-back or flip-back height adjustable armrests, and JAY backs.

|                          |        |                          |          |
|--------------------------|--------|--------------------------|----------|
| <input type="checkbox"/> | 002SR2 | Regular Stroller Handles | \$145.00 |
| <input type="checkbox"/> | 002SR3 | Tall Stroller Handles    | \$145.00 |

#### Stabilizer Bar

N/A with Folding Push Handle, or with Ht. Adj. Back or DAB Stroller handles

|                          |        |                                                            |          |
|--------------------------|--------|------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002SZ1 | Stabilizer Bar Standard with HeavyDuty Package and Recline | \$113.00 |
|--------------------------|--------|------------------------------------------------------------|----------|

#### Backrest Upholstery (Standard or Angle Adjustable)

Std EXO upholstery and Tension adj binding is always black. EXO Tension Adj Uph N/A with Heavy Duty. Max back height 20"for EXO.

|                                                                                                                                           |         |                                                                         |          |
|-------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------------------------------------------------------------|----------|
| <input type="checkbox"/>                                                                                                                  | 002BU1  | Standard Upholstery                                                     | NC       |
| <input type="checkbox"/>                                                                                                                  | 002BU88 | Standard Upholstery EXO                                                 | \$54.00  |
| Color Binding: <input type="checkbox"/> Silver <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Blue |         |                                                                         |          |
| <input type="checkbox"/>                                                                                                                  | 002BU70 | E2611 Backrest Tension Adjust Ballistic *Reference 186BU70 for billing  | \$338.00 |
| <input type="checkbox"/>                                                                                                                  | 002BU89 | E2611 Backrest Tension Adj EXO *Reference XXXBU89 for billing           | \$355.00 |
| Color Binding: <input type="checkbox"/> Silver <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Blue |         |                                                                         |          |
| <input type="checkbox"/>                                                                                                                  | 002BU71 | E2611 Backrest Tension Adjust 3DX Vented *Reference 186BU71 for billing | \$355.00 |
| <input type="checkbox"/>                                                                                                                  | 002BU82 | E2611 Jay GO Backrest N/A on Heavy Duty                                 | \$437.00 |
| <input type="checkbox"/>                                                                                                                  | 002BU14 | Omit Back Upholstery                                                    | -\$15.00 |

#### Standard Backrest Option

|                          |        |                                                                           |         |
|--------------------------|--------|---------------------------------------------------------------------------|---------|
| <input type="checkbox"/> | 002OD4 | Reinforced Upholstery Only avail w/ Std Back Upholstery. Std w/HD package | \$54.00 |
|--------------------------|--------|---------------------------------------------------------------------------|---------|

#### Angle Adjustable Backrest Pivot Height


Standard push handles only. Some interference w/ Padded SA arms. N/A w/ flip-back or flip-back height adjustable armrests (classic).

|                          |        |                           |    |
|--------------------------|--------|---------------------------|----|
| <input type="checkbox"/> | 002AH1 | Angle Adjustable Pivot 3" | NC |
| <input type="checkbox"/> | 002AH2 | Angle Adjustable Pivot 4" | NC |
| <input type="checkbox"/> | 002AH3 | Angle Adjustable Pivot 5" | NC |
| <input type="checkbox"/> | 002AH4 | Angle Adjustable Pivot 6" | NC |
| <input type="checkbox"/> | 002AH5 | Angle Adjustable Pivot 7" | NC |

#### Preset Angle Adjustable Backrest (-15° to +3°) (Optional)

|                          |        |                  |    |
|--------------------------|--------|------------------|----|
| <input type="checkbox"/> | 002BD5 | Back Angle - 15° | NC |
| <input type="checkbox"/> | 002BD4 | Back Angle - 12° | NC |
| <input type="checkbox"/> | 002BD3 | Back Angle - 6°  | NC |
| <input type="checkbox"/> | 002BD2 | Back Angle - 0°  | NC |
| <input type="checkbox"/> | 002BD1 | Back Angle +3°   | NC |

| Angle Adjustable Backrest Chart                                    |             |             |             |
|--------------------------------------------------------------------|-------------|-------------|-------------|
| Back Tube Height                                                   | Low         | Medium      | Tall        |
| Pivot Regular set at 3"                                            | 12" 13" 14" | 15" 16" 17" | 17" 18" 19" |
| Pivot Regular set at 4"                                            | 13" 14" 15" | 16" 17" 18" | 18" 19" 20" |
| Pivot Regular set at 5"                                            | 14" 15" 16" | 17" 18" 19" | 19" 20" 21" |
| Pivot Tall set at 5"                                               | 14" 15" 16" | 17" 18" 19" | 19" 20" 21" |
| Pivot Tall set at 6"                                               | 15" 16" 17" | 18" 19" 20" | N/A         |
| Pivot Tall set at 7"                                               | 16" 17" 18" | 19" 20" 21" | N/A         |
| Adjustable Pivot Point Measurement from Seat Sling                 |             |             |             |
| If back height option is not chosen, middle option will be present |             |             |             |



| ✓                            | Option # | HCPCS | Definition | Price | ✓ | Option # | HCPCS | Definition | Price |
|------------------------------|----------|-------|------------|-------|---|----------|-------|------------|-------|
| 7. BACKREST / SEATING (cont) |          |       |            |       |   |          |       |            |       |

| DAB Back Height          |        |  |                      |    |
|--------------------------|--------|--|----------------------|----|
| <input type="checkbox"/> | 002B66 |  | Depth Adjustable 12" | NC |
| <input type="checkbox"/> | 002B67 |  | Depth Adjustable 14" | NC |
| <input type="checkbox"/> | 002B68 |  | Depth Adjustable 16" | NC |
| <input type="checkbox"/> | 002B69 |  | Depth Adjustable 18" | NC |
| <input type="checkbox"/> | 002B70 |  | Depth Adjustable 20" | NC |

| DAB Back Post Options                                                                        |         |  |                                   |          |
|----------------------------------------------------------------------------------------------|---------|--|-----------------------------------|----------|
| <i>Diagram of DAB in Appendix on page 9. SA Stroller Handle height range is 21.25"-28.5"</i> |         |  |                                   |          |
| <input type="checkbox"/>                                                                     | 002BP33 |  | DAB - Swing Away Stroller Handles | \$107.00 |
| <input type="checkbox"/>                                                                     | 002BP27 |  | DAB - Post Standard (19")         | NC       |
| <input type="checkbox"/>                                                                     | 002BP28 |  | DAB - Post Medium (22")           | NC       |
| <input type="checkbox"/>                                                                     | 002BP29 |  | DAB - Post Tall (25")             | NC       |

| DAB Backrest options                                  |         |  |                                      |          |
|-------------------------------------------------------|---------|--|--------------------------------------|----------|
| <i>DAB Solid Back NA w/23" &amp; 24" frame widths</i> |         |  |                                      |          |
| <input type="checkbox"/>                              | 002BU28 |  | Omit DAB Solid Back and Hardware     | NC       |
| <input type="checkbox"/>                              | 002BU29 |  | Omit DAB Solid Back Include Hardware | \$86.00  |
| <input type="checkbox"/>                              | 002BU23 |  | Depth Adjustable Solid Back          | \$209.00 |

| Military Service Patches (Optional) |         |  |                                     |          |
|-------------------------------------|---------|--|-------------------------------------|----------|
| <input type="checkbox"/>            | 002VU2  |  | Army Patch                          | \$107.00 |
| <input type="checkbox"/>            | 002VU4  |  | Air Force Patch                     | \$107.00 |
| <input type="checkbox"/>            | 002VU12 |  | Coast Guard Patch                   | \$107.00 |
| <input type="checkbox"/>            | 002VU1  |  | Marines Patch                       | \$107.00 |
| <input type="checkbox"/>            | 002VU3  |  | Navy Patch                          | \$107.00 |
| <input type="checkbox"/>            | 002VU5  |  | Purple Heart Patch                  | \$107.00 |
| <input type="checkbox"/>            | 002VU9  |  | Purple Heart with Army Patch        | \$166.00 |
| <input type="checkbox"/>            | 002VU11 |  | Purple Heart with Air Force Patch   | \$166.00 |
| <input type="checkbox"/>            | 002VU13 |  | Purple Heart with Coast Guard Patch | \$166.00 |
| <input type="checkbox"/>            | 002VU8  |  | Purple Heart with Marines Patch     | \$166.00 |
| <input type="checkbox"/>            | 002VU10 |  | Purple Heart with Navy Patch        | \$166.00 |

| JAY Back (Optional)      |         |  |                             |            |
|--------------------------|---------|--|-----------------------------|------------|
| <input type="checkbox"/> | 002JB01 |  | J3 Back (See J3 Order Form) | Price List |

## 8. ARMREST / SIDE GUARDS

| Padded Swing Away                                                                                                                               |         |         |                                                                                                                                                 |          |
|-------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------|-------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| <i>N/A w/ DAB, Amputee axle. Some limitations may exist with integral push handles, some RSTFHs and wheel sizes. **Now available w/Transit.</i> |         |         |                                                                                                                                                 |          |
| <input type="checkbox"/>                                                                                                                        | 002AA18 | E0973   | Padded Swing-Away STD (9" to 13")                                                                                                               | \$242.00 |
|                                                                                                                                                 |         | Setting | <input type="checkbox"/> 9" <input type="checkbox"/> 10" <input type="checkbox"/> 11" <input type="checkbox"/> 12" <input type="checkbox"/> 13" |          |

| Flip Back                                                                                                                                                                                                                                                                                                                                        |         |       |                                           |          |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------|-------------------------------------------|----------|
| <i>N/A w/ DAB, Xtender, 12" - 14" frame depth, Classic Style armpad in highest/lowest axle RSH on rounded rear frame, or angle adjustable back. 4 Point (FS) J3 mounting bracket will cause interference with Flip Back Height Adj armrest. Flip back N/A with amputee axle plate for seat heights requiring the highest axle plate position</i> |         |       |                                           |          |
| <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                         | 002AA6  | E0973 | Flip Back Height Adj (Classic 8.5"-13.5") | \$338.00 |
| <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                         | 002AA5  |       | Flip Back (incl. Desk Length Pad)         | NC       |
| <input type="checkbox"/>                                                                                                                                                                                                                                                                                                                         | 002AA65 | E0973 | Flip Back Height Adj (LITE 8.5"-13.5")    | \$338.00 |

| Flip Up (For use with Depth Adjustable Back)                     |        |       |                                     |          |
|------------------------------------------------------------------|--------|-------|-------------------------------------|----------|
| <i>Requires an Armpad or Foam from the Arm Pad section below</i> |        |       |                                     |          |
| <input type="checkbox"/>                                         | 002AA7 | E0973 | Length Adjustable Locking Flip-up   | \$296.00 |
| <input type="checkbox"/>                                         | 002AA1 | E0973 | Adj. Locking Flip-up (Std. w/ foam) | \$284.00 |

| Height Adjustable        |         |       |                                        |          |
|--------------------------|---------|-------|----------------------------------------|----------|
| <input type="checkbox"/> | 002AA11 | E0973 | Single Post Hgt. Adj. Std (8.5"-13.5") | \$306.00 |
| <input type="checkbox"/> | 002AA29 | E0973 | Single Post Hgt. Adj. Low (7"-11")     | \$306.00 |

| Omit Armrest             |         |  |              |    |
|--------------------------|---------|--|--------------|----|
| <input type="checkbox"/> | 002AA14 |  | Omit Armrest | NC |

| Armpad for Height Adjustable                                                          |         |  |                                        |    |
|---------------------------------------------------------------------------------------|---------|--|----------------------------------------|----|
| <i>Ergo armpad only available with Single post Height adj &amp; Flip back armrest</i> |         |  |                                        |    |
| <i>Ergo not available with Classic Flip Back armrest</i>                              |         |  |                                        |    |
| <input type="checkbox"/>                                                              | 002AM23 |  | Desk Length - Classic (10")            | NC |
| <input type="checkbox"/>                                                              | 002AM24 |  | Full Length - Classic (14")            | NC |
| <input type="checkbox"/>                                                              | 002AM9  |  | Armpad Foam - Short (Flip Up armrests) | NC |
| <input type="checkbox"/>                                                              | 002AM10 |  | Armpad Foam - Long (Flip Up armrests)  | NC |
| <input type="checkbox"/>                                                              | 002AM27 |  | Ergo Pad (9.5"-13.5")                  | NC |

| Side Guard                                                                                                               |         |       |                              |          |
|--------------------------------------------------------------------------------------------------------------------------|---------|-------|------------------------------|----------|
| <i>Plastic side guards N/A w/ height adj. arms. Side guard interference w/ Padded SA arms at some heights may exist.</i> |         |       |                              |          |
| <input type="checkbox"/>                                                                                                 | 002SG33 | K0108 | Plastic Standard (8.5" High) | \$156.00 |
| <input type="checkbox"/>                                                                                                 | 002SG29 | K0108 | Plastic Low (6.5" High)      | \$156.00 |

## 9. KEY OPTIONS & ACCESSORIES

| Anti-Tip                 |        |       |                               |          |
|--------------------------|--------|-------|-------------------------------|----------|
| <input type="checkbox"/> | 002AT1 | E0971 | Rear Anti-Tip (NC w/ Xtender) | \$161.00 |

| Backpack                 |       |  |                             |         |
|--------------------------|-------|--|-----------------------------|---------|
| <input type="checkbox"/> | 002A1 |  | Quickie Backpack Black      | \$81.00 |
| <input type="checkbox"/> | 002A2 |  | Quickie Kids Backpack Black | \$64.00 |

| Seat Pouch               |         |  |                            |         |
|--------------------------|---------|--|----------------------------|---------|
| <input type="checkbox"/> | 0021A01 |  | Seat Pouch Black /Charcoal | \$54.00 |

| JAY Positioning          |       |       |                                                                       |          |
|--------------------------|-------|-------|-----------------------------------------------------------------------|----------|
| <input type="checkbox"/> | 002K1 | E1020 | JAY Lower Extremity S/A support                                       | \$424.00 |
|                          |       |       | <input type="checkbox"/> Left <input type="checkbox"/> Right Position |          |
| <input type="checkbox"/> | 002K2 |       | Omit Hanger                                                           | -\$10.00 |
|                          |       |       | <input type="checkbox"/> Left <input type="checkbox"/> Right          |          |
| <input type="checkbox"/> | 002K7 |       | Pad Size                                                              | NC       |
|                          |       |       | <input type="checkbox"/> 6" x 8" <input type="checkbox"/> 8" x 10"    |          |

| Additional Cover & Pack Accessories |         |  |                          |          |
|-------------------------------------|---------|--|--------------------------|----------|
| <input type="checkbox"/>            | 0028A02 |  | Gel Cover Hanger/Frame   | \$118.00 |
| <input type="checkbox"/>            | 0028A01 |  | Gel Cover Swing Away Arm | \$161.00 |

| Positioning Belts        |         |       |                                     |          |
|--------------------------|---------|-------|-------------------------------------|----------|
| <input type="checkbox"/> | 002A141 | E0978 | Belt 1.5" Auto Buckle w/Clamps      | \$75.00  |
| <input type="checkbox"/> | 002A117 | E0978 | Belt 2" Aircraft Buckle w/Clamps    | \$118.00 |
| <input type="checkbox"/> | 002A118 | E0978 | Belt 2" Aircraft Buckle Pad w/Clamp | \$128.00 |
| <input type="checkbox"/> | 002A120 |       | Positioning Belt Slide Clamps       | \$54.00  |

| Spoke Guards                                                        |         |       |                            |          |
|---------------------------------------------------------------------|---------|-------|----------------------------|----------|
| <i>Only available w/Mountain, and Lite Spoke wheels,</i>            |         |       |                            |          |
| <i>Not available with 5 spoke MAG wheels or Projection handrims</i> |         |       |                            |          |
| <input type="checkbox"/>                                            | 0024A02 | K0065 | Quickie Clear Spoke Guards | \$123.00 |
| <input type="checkbox"/>                                            | 0024A01 | K0065 | Quickie Black Spoke Guards | \$123.00 |

| ✓                                   | Option # | HCP   | CS                                 | Definition | Price    | ✓                                                                                                                           | Option # | HCP   | CS                            | Definition | Price    |
|-------------------------------------|----------|-------|------------------------------------|------------|----------|-----------------------------------------------------------------------------------------------------------------------------|----------|-------|-------------------------------|------------|----------|
| 9. KEY OPTIONS & ACCESSORIES (cont) |          |       |                                    |            |          |                                                                                                                             |          |       |                               |            |          |
| Tray Tables                         |          |       |                                    |            |          | Miscellaneous                                                                                                               |          |       |                               |            |          |
| <input type="checkbox"/>            | 002A30   | E0950 | Small (13"-14"W)                   |            | \$274.00 |                                                                                                                             |          |       |                               |            |          |
| <input type="checkbox"/>            | 002A31   | E0950 | Medium (15"-17"W)                  |            | \$274.00 |                                                                                                                             |          |       |                               |            |          |
| <input type="checkbox"/>            | 002A32   | E0950 | Large (18"-20"W)                   |            | \$274.00 |                                                                                                                             |          |       |                               |            |          |
| <input type="checkbox"/>            | 002A33   | E0950 | X-Large (21"-22"W)                 |            | \$274.00 |                                                                                                                             |          |       |                               |            |          |
|                                     |          |       |                                    |            |          | O2 holder N/A with Xtender or 12" - 13" frame width. Crutch holder N/A with EXO Tension Adj upholstery and Omit push handle |          |       |                               |            |          |
| <input type="checkbox"/>            | 0028A03  |       | Caddy (N/A w/ front mount hangers) |            | \$54.00  | <input type="checkbox"/>                                                                                                    | 002A2100 | E2207 | Crutch Holder                 |            | \$209.00 |
| <input type="checkbox"/>            | 002LS14  | K0038 | Extra Leg Strap Black              |            | \$38.00  | <input type="checkbox"/>                                                                                                    | 002IG2   |       | Impact Guard Neoprene         |            | \$97.00  |
| <input type="checkbox"/>            | 002A73   | K0105 | IV Holder                          |            | \$296.00 | <input type="checkbox"/>                                                                                                    | 002A145  | E2208 | O2 Holder                     |            | \$333.00 |
| <input type="checkbox"/>            | 0028A21  |       | Tool Kit                           |            | \$59.00  | <input type="checkbox"/>                                                                                                    | 002A999  |       | Quickie Water Bottle & Holder |            | \$59.00  |

## 10. COLOR

| NEW!                     | Standard Frame Colors |  |                                   |    |
|--------------------------|-----------------------|--|-----------------------------------|----|
| <input type="checkbox"/> | 002C140               |  | Aztec Gold                        | NC |
| <input type="checkbox"/> | 002C2                 |  | Black (Not avail as base w/Zebra) | NC |
| <input type="checkbox"/> | 002C141               |  | Black Cherry                      | NC |
| <input type="checkbox"/> | 002C10                |  | Black Opal                        | NC |
| <input type="checkbox"/> | 002C38                |  | Blue Opal                         | NC |
| <input type="checkbox"/> | 002C36                |  | Candy Blue                        | NC |
| <input type="checkbox"/> | 002C14                |  | Candy Purple                      | NC |
| <input type="checkbox"/> | 002C35                |  | Candy Red                         | NC |
| <input type="checkbox"/> | 002C142               |  | Electric Blue                     | NC |
| <input type="checkbox"/> | 002C143               |  | Evergreen                         | NC |
| <input type="checkbox"/> | 002C44                |  | Glossy White                      | NC |
| <input type="checkbox"/> | 002C126               |  | Glow                              | NC |
| <input type="checkbox"/> | 002C144               |  | Green Apple                       | NC |
| <input type="checkbox"/> | 002C147               |  | Hot Sparkle Pink                  | NC |
| <input type="checkbox"/> | 002C148               |  | Mauve Pink                        | NC |
| <input type="checkbox"/> | 002C103               |  | Rootbeer                          | NC |
| <input type="checkbox"/> | 002C114               |  | Sparkle Silver                    | NC |
| <input type="checkbox"/> | 002C145               |  | Sunrise Orange                    | NC |
| <input type="checkbox"/> | 002C113               |  | Titanium Color Paint              | NC |
| <input type="checkbox"/> | 002C8                 |  | Yellow                            | NC |

| Personalized Frame Color |         |  |                                                                                               |
|--------------------------|---------|--|-----------------------------------------------------------------------------------------------|
| <input type="checkbox"/> | 002C112 |  | Desert Camouflage                                                                             |
| <input type="checkbox"/> | 002C43  |  | Mossy Oak Camouflage                                                                          |
| <input type="checkbox"/> | 002C42  |  | Stars & Stripes                                                                               |
| <input type="checkbox"/> | 002C108 |  | Zebra (Choose above base color) Std with White unless above base paint is chosen N/A w/ Black |

| Anodized Color Package                                                                    |         |  |                     |
|-------------------------------------------------------------------------------------------|---------|--|---------------------|
| Standard Axle plate, Multi Forks and Aluminum Soft Roll casters only. N/A with Frog Legs. |         |  |                     |
| <input type="checkbox"/>                                                                  | 002EB07 |  | Black - Caster only |
| <input type="checkbox"/>                                                                  | 002EB08 |  | Blue                |
| <input type="checkbox"/>                                                                  | 002EB13 |  | Gold                |
| <input type="checkbox"/>                                                                  | 002EB09 |  | Lime Green          |
| <input type="checkbox"/>                                                                  | 002EB10 |  | Purple              |
| <input type="checkbox"/>                                                                  | 002EB11 |  | Red                 |
| <input type="checkbox"/>                                                                  | 002EB12 |  | Ti Grey             |

**Additional Options Through Built for Me**  
 To inquire about any unique personalized Quickie products, contact: Phone: (800) 333 - 4000, Fax: (800) 333 9011



### Commonly Requested Options Include:

- ✓ Personalized Anodizing
- ✓ Xtender Battery on right side
- ✓ Dual Mount Wheel Locks - Attendant Foot Lock
- ✓ Hub Wheel Locks on Mag or Spoke Wheels
- ✓ Colored handrims




## 11. APPENDIX

| Frame Depth matrix |     |     |       |       |       |     |       |       |     |     |     |
|--------------------|-----|-----|-------|-------|-------|-----|-------|-------|-----|-----|-----|
| Seat Depth         |     |     |       |       |       |     |       |       |     |     |     |
|                    | 12" | 13" | 14"   | 15"   | 16"   | 17" | 18"   | 19"   | 20" | 21" | 22" |
| 13"                | S   | S   |       |       |       |     |       |       |     |     |     |
| 14"                | S   | S   | S     |       |       |     |       |       |     |     |     |
| 15"                | S   | S   | S     | S     |       |     |       |       |     |     |     |
| 16"                |     | S   | S     | S     | S     |     |       |       |     |     |     |
| 17"                |     |     | Hemi* | S     | S     | S   | S     |       |     |     |     |
| 18"                |     |     |       | Hemi* | S     | S   | S     | S     |     |     |     |
| 19"                |     |     |       |       | Hemi* | S   | S     | S     | S   |     |     |
| 20"                |     |     |       |       |       | S   | S     | S     | S   | S   |     |
| 21"                |     |     |       |       |       |     | Hemi* | S     | S   | S   | S   |
| 22"                |     |     |       |       |       |     |       | Hemi* | S   | S   | S   |

"S" = Standard Frame Style

"H" = Hemi Frame Style

\*Only (6) Frame Depths avail. on Hemi Style Frame



Customer Service: 800-333-4000 Fax: 800-300-7502 Email: orders@sunmed.com www.sunrisemedical.com

© 1/2022 MK-100403 Rev K

### Lower Leg Length Matrix

2" & 4" extensions for front mount hangers shipped separate, not mounted. Front seat height must be at least 2" taller than lower leg length on all swing in/out hangers. Front seat height must be at least 2" taller than maximum lower leg length on all front mount hangers. All values shown apply to Standard frame style, subtract 1.5" to get Hemi equivalent. More than 2" will require on field adjustment.

| Hanger                              | Extension  | Seat Sling to Top of Footrest in inches |      | Min Allowable FSH |
|-------------------------------------|------------|-----------------------------------------|------|-------------------|
|                                     |            | Min                                     | Max  |                   |
| 60° Hemi Swing In/Out               | Short Hemi | 10                                      | 13   | 14                |
|                                     | Short      | -                                       | -    | -                 |
|                                     | Med        | 12.5                                    | 15.5 | 15.5              |
|                                     | Long       | 14.5                                    | 17.5 | 17.5              |
| 70° Hemi Swing In/Out               | Short Hemi | 11                                      | 14   | 14                |
|                                     | Short      | -                                       | -    | -                 |
|                                     | Med        | 13.5                                    | 16.5 | 16                |
|                                     | Long       | 15.5                                    | 18.5 | 18                |
| 60° Swing In/Out                    | Short      | 11.5                                    | 15   | 15                |
|                                     | Med        | 11.5                                    | 17   | 15                |
|                                     | Long       | 14                                      | 18.5 | 17                |
| 70° Swing In/Out                    | Short      | 12                                      | 16.5 | 15                |
|                                     | Med        | 12.5                                    | 18.5 | 15.5              |
|                                     | Long       | 14.5                                    | 20.5 | 17.5              |
| 80° Swing In/Out                    | Short      | 13.5                                    | 17   | 15.5              |
|                                     | Med        | 13.5                                    | 19   | 15.5              |
|                                     | Long       | 15.5                                    | 20.5 | 17.5              |
| 60° Swing In/Out w/Platform Flip Up | Short      | 11.5                                    | 14.5 | 14                |
|                                     | Long       | 14                                      | 18.5 | 16                |
| 70° Swing In/Out w/Platform Flip Up | Short      | 13                                      | 15.5 | 15                |
|                                     | Long       | 15.5                                    | 20   | 17.5              |
| 80° Swing In/Out w/Platform Flip Up | Short      | 13.5                                    | 14.5 | 15.5              |
|                                     | Long       | 15                                      | 19   | 17                |
| 70° Front Mount                     | No Ext     | 6                                       | 11.5 | 14                |
|                                     | 2"         | 6                                       | 14   | 16                |
|                                     | 4"         | 6                                       | 16   | 18                |
| 80° Front Mount                     | No Ext     | 6                                       | 12   | 14                |
|                                     | 2"         | 6                                       | 14.5 | 16.5              |
|                                     | 4"         | 6                                       | 16.5 | 18.5              |
| 90° Front Mount                     | No Ext     | 5.5                                     | 11.5 | 14                |
| ALR                                 | Short      | 15                                      | 16.5 | 17                |
|                                     | Med        | 15                                      | 18.5 | 17                |
|                                     | Long       | 16.5                                    | 20.5 | 18.5              |
| ELR Ext. Mount                      | Short      | 12                                      | 16.5 | 15.5              |
|                                     | Med        | 12                                      | 18.5 | 15.5              |
|                                     | Long       | 13.5                                    | 20.5 | 17                |
| ELR Front Mount                     | No Ext     | 5.5                                     | 9.5  | 13                |

### Backrest Height Matrix

| Back Type                                          | Ang-Adj Pivot Ht Setting | Push Handles | Backrest Height | Avail. Ht. Range |
|----------------------------------------------------|--------------------------|--------------|-----------------|------------------|
| Standard - (Fixed)                                 | N/A                      | Integral     | Low             | 9"-12"           |
|                                                    |                          |              | Medium          | 12"-15"          |
|                                                    |                          |              | Tall            | 16"-19"          |
|                                                    |                          | Omit         | Low             | 9"-12"           |
|                                                    |                          |              | Medium          | 12"-15"          |
|                                                    |                          |              | Tall            | 16"-19"          |
| Angle Adjustable (3"-5" Pivot)                     | 3"                       | Integral     | Low             | 12"-14"          |
|                                                    |                          |              | Medium          | 15"-17"          |
|                                                    |                          |              | Tall            | 17"-19"          |
|                                                    | 4"                       | Integral     | Low             | 13"-15"          |
|                                                    |                          |              | Medium          | 16"-18"          |
|                                                    |                          |              | Tall            | 18"-20"          |
|                                                    | 5"                       | Integral     | Low             | 14"-16"          |
|                                                    |                          |              | Medium          | 17"-19"          |
|                                                    |                          |              | Tall            | 19"-20"          |
|                                                    | 3"                       | Omit         | Low             | 12"-14"          |
|                                                    |                          |              | Medium          | 15"-17"          |
|                                                    |                          |              | Tall            | 17"-19"          |
|                                                    | 4"                       | Omit         | Low             | 13"-15"          |
|                                                    |                          |              | Medium          | 16"-18"          |
|                                                    |                          |              | Tall            | 18"-20"          |
|                                                    | 5"                       | Omit         | Low             | 14"-16"          |
|                                                    |                          |              | Medium          | 17"-19"          |
|                                                    |                          |              | Tall            | 19"-20"          |
| Angle Adjustable (5"-7" Pivot)                     | 5"                       | Integral     | Low             | 14"-16"          |
|                                                    |                          |              | Medium          | 17"-19"          |
|                                                    |                          |              | Tall            | 19"-20"          |
|                                                    | 6"                       | Integral     | Low             | 15"-17"          |
|                                                    |                          |              | Medium          | 18"-20"          |
|                                                    |                          |              | Tall            | N/A              |
|                                                    | 7"                       | Integral     | Low             | 16"-18"          |
|                                                    |                          |              | Medium          | 18"-20"          |
|                                                    |                          |              | Tall            | N/A              |
|                                                    | 5"                       | Omit         | Low             | 14"-16"          |
|                                                    |                          |              | Medium          | 17"-19"          |
|                                                    |                          |              | Tall            | 19"-20"          |
| Folding Push Handle - (Stroller Handle w/ Knuckle) | N/A                      | N/A          | Low             | 9"-12"           |
|                                                    |                          |              | Medium          | 12"-15"          |
|                                                    |                          |              | Tall            | 16"-19"          |

11. APPENDIX

Quickie 2 Seat To Floor Height Matrix - Standard Frame \*Hemi options will result in a reduction of approx 2 1/2"

\* Values Given are Estimates. Actual seat to floor height may vary based on seat depth and front seat to floor height selection.

| All 3" Casters                 |           |               |   |   |      |      |
|--------------------------------|-----------|---------------|---|---|------|------|
| Fork Size                      | Stem Size | Bolt Position |   |   |      |      |
|                                |           | 5             | 4 | 3 | 2    | 1    |
| Multi Position Short           | Std       | -             | - | - | 16.5 | 17.0 |
|                                | 1/2"      | -             | - | - | 17.0 | 17.5 |
|                                | 1"        | -             | - | - | 17.5 | 18.0 |
|                                | 1 1/2"    | -             | - | - | 18.0 | 18.5 |
| Multi Position Tall            | Std       | -             | - | - | 18.5 | 19.0 |
|                                | 1/2"      | -             | - | - | 19.0 | 19.5 |
|                                | 1"        | -             | - | - | 19.5 | 20.0 |
|                                | 1 1/2"    | -             | - | - | 20.0 | 20.5 |
| 3"                             | Std       | -             | - | - | -    | 15.0 |
|                                | 1/2"      | -             | - | - | -    | 15.5 |
|                                | 1"        | -             | - | - | -    | 16.0 |
|                                | 1 1/2"    | -             | - | - | -    | 16.5 |
| 5 1/4"                         | Std       | -             | - | - | -    | 17.5 |
|                                | 1/2"      | -             | - | - | -    | 18.0 |
|                                | 1"        | -             | - | - | -    | 18.5 |
|                                | 1 1/2"    | -             | - | - | -    | 19.0 |
| 6"                             | Std       | -             | - | - | -    | 18.0 |
|                                | 1/2"      | -             | - | - | -    | 18.5 |
|                                | 1"        | -             | - | - | -    | 19.0 |
|                                | 1 1/2"    | -             | - | - | -    | 19.5 |
| 7"                             | Std       | -             | - | - | -    | 19.0 |
|                                | 1/2"      | -             | - | - | -    | 19.5 |
|                                | 1"        | -             | - | - | -    | 20.0 |
|                                | 1 1/2"    | -             | - | - | -    | 20.5 |
| 8" x 2"                        | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |
|                                | 1 1/2"    | -             | - | - | -    | -    |
| Frog Legs                      | Std       | -             | - | - | 16.5 | 17.0 |
|                                | 1 1/2"    | -             | - | - | 18.0 | 18.5 |
| Integral Multi Pos Forks (Low) | Std       | -             | - | - | 15.5 | 16.0 |
|                                | 1/2"      | -             | - | - | 16.0 | 16.5 |
|                                | 1"        | -             | - | - | 16.5 | 17.0 |
| Integral Multi Pos Forks (Std) | Std       | -             | - | - | 16.5 | 17.0 |
|                                | 1/2"      | -             | - | - | 17.0 | 17.5 |
|                                | 1"        | -             | - | - | 17.5 | 18.0 |

| All 4" Casters                 |           |               |   |      |      |      |
|--------------------------------|-----------|---------------|---|------|------|------|
| Fork Size                      | Stem Size | Bolt Position |   |      |      |      |
|                                |           | 5             | 4 | 3    | 2    | 1    |
| Multi Position Short           | Std       | -             | - | -    | 16.5 | 17.5 |
|                                | 1/2"      | -             | - | -    | 17.5 | 18.0 |
|                                | 1"        | -             | - | -    | 18.0 | 18.5 |
|                                | 1 1/2"    | -             | - | -    | 18.5 | 19.0 |
| Multi Position Tall            | Std       | -             | - | -    | 18.5 | 19.5 |
|                                | 1/2"      | -             | - | -    | 19.5 | 20.0 |
|                                | 1"        | -             | - | -    | 20.0 | 20.5 |
|                                | 1 1/2"    | -             | - | -    | 20.5 | 21.0 |
| 3"                             | Std       | -             | - | -    | -    | -    |
|                                | 1/2"      | -             | - | -    | -    | -    |
|                                | 1"        | -             | - | -    | -    | -    |
|                                | 1 1/2"    | -             | - | -    | -    | -    |
| 5 1/4"                         | Std       | -             | - | 17.0 | 17.5 | 18.0 |
|                                | 1/2"      | -             | - | -    | 18.0 | 18.5 |
|                                | 1"        | -             | - | -    | 18.5 | 19.0 |
|                                | 1 1/2"    | -             | - | -    | 19.0 | 19.5 |
| 6"                             | Std       | -             | - | 17.5 | 18.0 | 18.5 |
|                                | 1/2"      | -             | - | -    | 18.5 | 19.0 |
|                                | 1"        | -             | - | -    | 19.0 | 19.5 |
|                                | 1 1/2"    | -             | - | -    | 19.5 | 20.0 |
| 7"                             | Std       | -             | - | 18.5 | 19.0 | 19.5 |
|                                | 1/2"      | -             | - | -    | 19.5 | 20.0 |
|                                | 1"        | -             | - | -    | 20.0 | 20.5 |
|                                | 1 1/2"    | -             | - | -    | 20.5 | 21.0 |
| 8" x 2"                        | Std       | -             | - | -    | -    | -    |
|                                | 1/2"      | -             | - | -    | -    | -    |
|                                | 1"        | -             | - | -    | -    | -    |
|                                | 1 1/2"    | -             | - | -    | -    | -    |
| Frog Legs                      | Std       | -             | - | 16.5 | 17.0 | 17.5 |
|                                | 1 1/2"    | -             | - | 18.0 | 18.5 | 19.0 |
| Integral Multi Pos Forks (Low) | Std       | -             | - | -    | 16.0 | 16.5 |
|                                | 1/2"      | -             | - | -    | 16.5 | 17.0 |
|                                | 1"        | -             | - | -    | 17.0 | 17.5 |
| Integral Multi Pos Forks (Std) | Std       | -             | - | 16.5 | 17.0 | 17.5 |
|                                | 1/2"      | -             | - | -    | 17.5 | 18.0 |
|                                | 1"        | -             | - | -    | 18.0 | 18.5 |

| All 5" Casters                 |           |               |      |      |      |      |
|--------------------------------|-----------|---------------|------|------|------|------|
| Fork Size                      | Stem Size | Bolt Position |      |      |      |      |
|                                |           | 5             | 4    | 3    | 2    | 1    |
| Multi Position Short           | Std       | -             | 16.5 | 17.0 | 17.5 | 18.0 |
|                                | 1/2"      | -             | -    | -    | 18.0 | 18.5 |
|                                | 1"        | -             | -    | -    | 18.5 | 19.0 |
|                                | 1 1/2"    | -             | -    | -    | 19.0 | 19.5 |
| Multi Position Tall            | Std       | -             | 18.5 | 19.0 | 19.5 | 20.0 |
|                                | 1/2"      | -             | -    | -    | 20.0 | 20.5 |
|                                | 1"        | -             | -    | -    | 20.5 | 21.0 |
|                                | 1 1/2"    | -             | -    | -    | 21.0 | 21.5 |
| 3"                             | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| 5 1/4"                         | Std       | -             | -    | 17.5 | 18.0 | 18.5 |
|                                | 1/2"      | -             | -    | -    | 18.5 | 19.0 |
|                                | 1"        | -             | -    | -    | 19.0 | 19.5 |
|                                | 1 1/2"    | -             | -    | -    | 19.5 | 20.0 |
| 6"                             | Std       | -             | -    | 18.0 | 18.5 | 19.0 |
|                                | 1/2"      | -             | -    | -    | 19.0 | 19.5 |
|                                | 1"        | -             | -    | -    | 19.5 | 20.0 |
|                                | 1 1/2"    | -             | -    | -    | 20.0 | 20.5 |
| 7"                             | Std       | -             | -    | 19.0 | 19.5 | 20.0 |
|                                | 1/2"      | -             | -    | -    | 20.0 | 20.5 |
|                                | 1"        | -             | -    | -    | 20.5 | 21.0 |
|                                | 1 1/2"    | -             | -    | -    | 21.0 | 21.5 |
| 8" x 2"                        | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| Frog Legs                      | Std       | -             | -    | -    | 17.5 | 18.0 |
|                                | 1 1/2"    | -             | -    | -    | 19.0 | 19.5 |
| Integral Multi Pos Forks (Low) | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
| Integral Multi Pos Forks (Std) | Std       | -             | -    | 17.0 | 17.5 | 18.0 |
|                                | 1/2"      | -             | -    | -    | 18.0 | 18.5 |
|                                | 1"        | -             | -    | -    | 18.5 | 19.0 |

| All 6" Casters                 |           |               |      |      |      |      |
|--------------------------------|-----------|---------------|------|------|------|------|
| Fork Size                      | Stem Size | Bolt Position |      |      |      |      |
|                                |           | 5             | 4    | 3    | 2    | 1    |
| Multi Position Short           | Std       | -             | -    | 17.5 | 18.0 | 18.5 |
|                                | 1/2"      | -             | -    | -    | 18.5 | 19.0 |
|                                | 1"        | -             | -    | -    | 19.0 | 19.5 |
|                                | 1 1/2"    | -             | -    | -    | 19.5 | 20.0 |
| Multi Position Tall            | Std       | 18.5          | 19.0 | 19.5 | 20.0 | 20.5 |
|                                | 1/2"      | -             | -    | -    | 20.5 | 21.0 |
|                                | 1"        | -             | -    | -    | 21.0 | 21.5 |
|                                | 1 1/2"    | -             | -    | -    | 21.5 | 22.0 |
| 3"                             | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| 5 1/4"                         | Std       | -             | -    | 18.0 | 18.5 | 19.0 |
|                                | 1/2"      | -             | -    | -    | 19.0 | 19.5 |
|                                | 1"        | -             | -    | -    | 19.5 | 20.0 |
|                                | 1 1/2"    | -             | -    | -    | 20.0 | 20.5 |
| 6"                             | Std       | -             | 18.0 | 18.5 | 19.0 | 19.5 |
|                                | 1/2"      | -             | -    | -    | 19.5 | 20.0 |
|                                | 1"        | -             | -    | -    | 20.0 | 20.5 |
|                                | 1 1/2"    | -             | -    | -    | 20.5 | 21.0 |
| 7"                             | Std       | -             | 19.0 | 19.5 | 20.0 | 20.5 |
|                                | 1/2"      | -             | -    | -    | 20.5 | 21.0 |
|                                | 1"        | -             | -    | -    | 21.0 | 21.5 |
|                                | 1 1/2"    | -             | -    | -    | 21.5 | 22.0 |
| 8" x 2"                        | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| Frog Legs                      | Std       | -             | -    | -    | -    | 18.5 |
|                                | 1 1/2"    | -             | -    | -    | -    | 20.0 |
| Integral Multi Pos Forks (Low) | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
| Integral Multi Pos Forks (Std) | Std       | -             | -    | -    | 17.5 | 18.0 |
|                                | 1/2"      | -             | -    | -    | 18.0 | 18.5 |
|                                | 1"        | -             | -    | -    | 18.5 | 19.0 |

| All 7" Casters                 |           |               |      |      |      |      |
|--------------------------------|-----------|---------------|------|------|------|------|
| Fork Size                      | Stem Size | Bolt Position |      |      |      |      |
|                                |           | 5             | 4    | 3    | 2    | 1    |
| Multi Position Short           | Std       | -             | -    | -    | -    | 19.0 |
|                                | 1/2"      | -             | -    | -    | -    | 19.5 |
|                                | 1"        | -             | -    | -    | -    | 20.0 |
|                                | 1 1/2"    | -             | -    | -    | -    | 20.5 |
| Multi Position Tall            | Std       | 19.0          | 19.5 | 20.0 | 20.5 | 21.0 |
|                                | 1/2"      | -             | -    | -    | 21.0 | 21.5 |
|                                | 1"        | -             | -    | -    | 21.5 | 22.0 |
|                                | 1 1/2"    | -             | -    | -    | 22.0 | -    |
| 3"                             | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| 5 1/4"                         | Std       | -             | -    | -    | 19.0 | 19.5 |
|                                | 1/2"      | -             | -    | -    | 19.5 | 20.0 |
|                                | 1"        | -             | -    | -    | 20.0 | 20.5 |
|                                | 1 1/2"    | -             | -    | -    | 20.5 | 21.0 |
| 6"                             | Std       | -             | -    | 19.0 | 19.5 | 20.0 |
|                                | 1/2"      | -             | -    | -    | 20.0 | 20.5 |
|                                | 1"        | -             | -    | -    | 20.5 | 21.0 |
|                                | 1 1/2"    | -             | -    | -    | 21.0 | 21.5 |
| 7"                             | Std       | -             | 19.5 | 20.0 | 20.5 | 21.0 |
|                                | 1/2"      | -             | -    | -    | 21.0 | 21.5 |
|                                | 1"        | -             | -    | -    | 21.5 | 22.0 |
|                                | 1 1/2"    | -             | -    | -    | 22.0 | -    |
| 8" x 2"                        | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| Frog Legs                      | Std       | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| Integral Multi Pos Forks (Low) | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
| Integral Multi Pos Forks (Std) | Std       | -             | -    | -    | -    | 19.0 |
|                                | 1/2"      | -             | -    | -    | -    | 19.5 |
|                                | 1"        | -             | -    | -    | -    | 20.0 |

| All 8" x 1.5" Casters          |           |               |      |      |      |      |
|--------------------------------|-----------|---------------|------|------|------|------|
| Fork Size                      | Stem Size | Bolt Position |      |      |      |      |
|                                |           | 5             | 4    | 3    | 2    | 1    |
| Multi Position Short           | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| Multi Position Tall            | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| 3"                             | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| 5 1/4"                         | Std       | -             | -    | -    | 19.0 | 19.5 |
|                                | 1/2"      | -             | -    | -    | -    | 20.0 |
|                                | 1"        | -             | -    | -    | -    | 20.5 |
|                                | 1 1/2"    | -             | -    | -    | -    | 21.0 |
| 6"                             | Std       | -             | -    | 19.5 | 20.0 | 20.5 |
|                                | 1/2"      | -             | -    | -    | 20.5 | 21.0 |
|                                | 1"        | -             | -    | -    | 21.0 | 21.5 |
|                                | 1 1/2"    | -             | -    | -    | 21.5 | 22.0 |
| 7"                             | Std       | -             | 20.0 | 20.5 | 21.0 | 21.5 |
|                                | 1/2"      | -             | -    | -    | 21.5 | 22.0 |
|                                | 1"        | -             | -    | -    | 22.0 | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| 8" x 2"                        | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| Frog Legs                      | Std       | -             | -    | -    | -    | -    |
|                                | 1 1/2"    | -             | -    | -    | -    | -    |
| Integral Multi Pos Forks (Low) | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
| Integral Multi Pos Forks (Std) | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |

11. APPENDIX

**Quickie 2 Seat To Floor Height Matrix - Standard Frame** \*Hemi options will result in a reduction of approx 2 1/2"

\* Values Given are Estimates. Actual seat to floor height may vary based on seat depth and front seat to floor height selection.

| All 8" x 2" Casters            |           |               |   |   |      |      |
|--------------------------------|-----------|---------------|---|---|------|------|
| Fork Size                      | Stem Size | Bolt Position |   |   |      |      |
|                                |           | 5             | 4 | 3 | 2    | 1    |
| Multi Position Short           | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |
| Multi Position Tall            | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |
| 3"                             | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |
| 5 1/4"                         | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |
| 6"                             | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |
| 7"                             | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |
| 8" x 2"                        | Std       | -             | - | - | 20.0 | 20.5 |
|                                | 1/2"      | -             | - | - | 20.5 | 21.0 |
|                                | 1"        | -             | - | - | 21.0 | 21.5 |
| Frog Legs                      | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |
| Integral Multi Pos Forks (Low) | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |
| Integral Multi Pos Forks (Std) | Std       | -             | - | - | -    | -    |
|                                | 1/2"      | -             | - | - | -    | -    |
|                                | 1"        | -             | - | - | -    | -    |

| All Other 8" Casters           |           |               |      |      |      |      |
|--------------------------------|-----------|---------------|------|------|------|------|
| Fork Size                      | Stem Size | Bolt Position |      |      |      |      |
|                                |           | 5             | 4    | 3    | 2    | 1    |
| Multi Position Short           | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
| Multi Position Tall            | Std       | 19.5          | 20.0 | 20.5 | 21.0 | 21.5 |
|                                | 1/2"      | -             | -    | -    | 21.5 | 22.0 |
|                                | 1"        | -             | -    | -    | 22.0 | -    |
| 3"                             | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
| 5 1/4"                         | Std       | -             | -    | -    | -    | 20.0 |
|                                | 1/2"      | -             | -    | -    | -    | 20.5 |
|                                | 1"        | -             | -    | -    | -    | 21.0 |
| 6"                             | Std       | -             | -    | -    | -    | 21.5 |
|                                | 1/2"      | -             | -    | -    | -    | 22.0 |
|                                | 1"        | -             | -    | -    | -    | -    |
| 7"                             | Std       | -             | 20.0 | 20.5 | 21.0 | 21.5 |
|                                | 1/2"      | -             | -    | -    | 21.5 | 22.0 |
|                                | 1"        | -             | -    | -    | 22.0 | -    |
| 8" x 2"                        | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
| Frog Legs                      | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
| Integral Multi Pos Forks (Low) | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |
| Integral Multi Pos Forks (Std) | Std       | -             | -    | -    | -    | -    |
|                                | 1/2"      | -             | -    | -    | -    | -    |
|                                | 1"        | -             | -    | -    | -    | -    |



Sunrise Medical (US) LLC  
2842 Business Park Ave. • Fresno, CA 93727 • USA