

# Zippie Iris



## ULTIMATE TILT-IN-SPACE MANUAL WHEELCHAIR

Distributed by  
**medifab**

SCRIPTING AND ORDERING GUIDE

# Client Details


|                  |  |                  |  |
|------------------|--|------------------|--|
| Assessor Name    |  | Client Name      |  |
| Phone            |  | Funding          |  |
| Email            |  | Trial Approval # |  |
| Delivery Address |  |                  |  |

# Package & Size Options

| Short Package Includes:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Medium Package Includes:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | Long Package Includes:                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>• True-fit growth system</li> <li>• Tie downs</li> <li>• Width adjusting system</li> <li>• Short seat frame</li> <li>• 5" x 1.5" semi pneumatic front castors</li> <li>• 16" Rear mag wheels; pneumatic</li> <li>• 90° legrest hangers with angle adjustable footplates</li> <li>• Offset hanger mounts</li> <li>• Height adjustable arm supports with full-length pad</li> <li>• Height adjustable push handle</li> <li>• Anti-tips</li> <li>• Black Opal frame colour</li> <li>• Foot operated tilt</li> <li>• Foot operated brakes</li> <li>• Short seat depth range: 10-14"</li> <li>• 0-55 degrees of rotation in space</li> </ul> | <ul style="list-style-type: none"> <li>• True-fit growth system</li> <li>• Tie downs</li> <li>• Width adjusting system</li> <li>• Medium seat frame</li> <li>• 5" x 1.5" semi pneumatic front castors</li> <li>• 16" Rear mag wheels; pneumatic</li> <li>• 90° legrest hangers with angle adjustable footplates</li> <li>• Offset hanger mounts</li> <li>• Height adjustable arm supports with full-length pad</li> <li>• Height adjustable push handle</li> <li>• Anti-tips</li> <li>• Black Opal frame colour</li> <li>• Foot operated tilt</li> <li>• Foot operated brakes</li> <li>• Medium seat depth range: 12-16"</li> <li>• 0-55 degrees of rotation in space</li> </ul> | <ul style="list-style-type: none"> <li>• True-fit growth system</li> <li>• Tie downs</li> <li>• Width adjusting system</li> <li>• Long seat frame</li> <li>• 5" x 1.5" semi pneumatic front castors</li> <li>• 16" Rear mag wheels; pneumatic</li> <li>• 90° legrest hangers with angle adjustable footplates</li> <li>• Offset hanger mounts</li> <li>• Height adjustable arm supports with full-length pad</li> <li>• Height adjustable push handle</li> <li>• Anti-tips</li> <li>• Black Opal frame colour</li> <li>• Foot operated tilt</li> <li>• Foot operated brakes</li> <li>• Long seat depth range: 14-18"</li> <li>• 0-55 degrees of rotation in space</li> </ul> |
| Short Package                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | Medium Package                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | Long Package                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Wheelchair Width 10"</b><br>1562-0010-090                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Wheelchair Width 10"</b><br>1562-0110-090<br><br><b>Wheelchair Width 12"</b><br>1562-0112-090                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <b>Wheelchair Width 12"</b><br>1562-0212-090<br><br><b>Wheelchair Width 14"</b><br>1562-0214-090                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |

# Measurements

| Enter details below |  |
|---------------------|--|
| Seat Width (R)      |  |
| Seat Depth (S)      |  |
| Back Height (T)     |  |
| Seat to Footplate   |  |
| Seat to Floor       |  |



# Castor Upgrades

| 8 x 2" Pneumatic                                                                  |                                                                                   | 8 x 1.5" Semi Pneumatic                                                            |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| 1568-8401-010                                                                     | <b>With Airless Insert</b><br>1568-8402-010                                       | 1568-8403-010                                                                      |
|  |  |  |

# Rear Wheel Upgrades

| 16" Mag                                        | 20" 5 Spoke Mag                                | 22" 5 Spoke Mag                        | 24" 5 Spoke Mag                        |
|------------------------------------------------|------------------------------------------------|----------------------------------------|----------------------------------------|
| <b>Pneumatic Airless Type</b><br>1568-9568-116 | <b>Pneumatic</b><br>1568-9520-110              | <b>Pneumatic</b><br>1568-9522-110      | <b>Pneumatic</b><br>1568-9524-110      |
|                                                | <b>Airless Insert</b><br>1568-9520-120         | <b>Airless Insert</b><br>1568-9522-120 | <b>Airless Insert</b><br>1568-9424-120 |
| 24" Spoke Wheel                                | 24" Spoke Wheel                                |                                        |                                        |
| <b>Pneumatic Tyre</b><br>1568-9524-010         | <b>Pneumatic Airless Tyre</b><br>1568-9524-020 |                                        |                                        |

# Wheel Lock


| Change Wheel Lock to Push to Lock       | Push to Lock                                      | Push to Lock 6" Extensions |
|-----------------------------------------|---------------------------------------------------|----------------------------|
| 1568-8451-000                           | <b>As additional to footlock</b><br>1568-8455-000 | 1579-161930                |
| Drum Brakes 16"                         | Drum Brakes 24" Pneumatic                         |                            |
| <b>Pneumatic tyres</b><br>1568-8452-16P | <b>Pneumatic tyres</b><br>1568-8453-24P           |                            |
| <b>Poly tyres</b><br>1568-8452-16S      | <b>Poly tyres</b><br>1568-8453-24S                |                            |

# Back Canes

| Dynamic Canes (Preferred Set-Up) |                                                                                     | Reclining Back Canes                          |                                                                                       |
|----------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Soft</b>                      |  | <p>Suits sizes 14"-20".<br/>1568-2164-000</p> |  |
| <b>Medium</b>                    |                                                                                     |                                               |                                                                                       |
| <b>Hard</b>                      |                                                                                     |                                               |                                                                                       |
| 1568-2170-000                    |                                                                                     |                                               |                                                                                       |

# Footrest Hangers


| Change to 80° Front Mount Hanger                         |                                                                                   | Change to 70° Front Mount Hanger                         |                                                                                    | Change to 70° Extension Hanger                           |                                                                                     |
|----------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------------------------------|------------------------------------------------------------------------------------|----------------------------------------------------------|-------------------------------------------------------------------------------------|
| (When purchased with chair).<br>(Pair).<br>1568-5080-000 |  | (When purchased with chair).<br>(Pair).<br>1568-5070-000 |  | (When purchased with chair).<br>(Pair).<br>1568-5071-000 |  |

| Front Mount Footrest Extension Tube |                                                                                   | Elevating Leg Rests                                                                                   |                                                                                     |
|-------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| <b>2" Pair</b><br>1568-5122-000     |  | <b>12-13"</b><br>Swing In/Out Elevating Front Mount<br>Leg Rests Assembly Suits 12".<br>1568-5010-100 |  |
| <b>4" Pair</b><br>1568-5124-000     |                                                                                   |                                                                                                       |                                                                                     |
| <b>6" Pair</b><br>1568-5126-000     |                                                                                   | <b>14-15"</b><br>1568-5034-000                                                                        |                                                                                     |

# Foot Supports

| Heel Loops for Footplates          |                                                                                    | Footplate Padding                          |                                                                                      |
|------------------------------------|------------------------------------------------------------------------------------|--------------------------------------------|--------------------------------------------------------------------------------------|
| <b>12-14" wide</b><br>1568-5312-14 |  | <b>10"-11" wheelchair</b><br>1415-5310-300 |  |
|                                    |                                                                                    | <b>12"-13" wheelchair</b><br>1415-5312-300 |                                                                                      |
| <b>15-16" wide</b><br>1568-5315-16 |                                                                                    | <b>14"-15" wheelchair</b><br>1415-5314-300 |                                                                                      |

| Spex Impact Guards                                     |
|--------------------------------------------------------|
| <b>70° hangers</b><br>1415-5360-300                    |
| <b>80° &amp; 90° hangers</b><br>1415-5361-300          |
| <b>Articulating/elevating hangers</b><br>1500-1033-000 |

| Contracture Footrest           |                                 |                               |                                                                                       |
|--------------------------------|---------------------------------|-------------------------------|---------------------------------------------------------------------------------------|
| Short (10.5"-13" Leg Lengths). | Medium (12.5"-15" Leg Lengths). | Long (14.5"-17" Leg Lengths). |  |
| <b>10"</b><br>1568-5170-10S    | <b>10"</b><br>1568-5170-10M     | <b>10"</b><br>1568-5170-10L   |                                                                                       |
| <b>12"</b><br>1568-5170-12S    | <b>12"</b><br>1568-5170-12M     | <b>12"</b><br>1568-5170-12L   |                                                                                       |
| <b>14"</b><br>1568-5170-14S    | <b>14"</b><br>1568-5170-14M     | <b>14"</b><br>1568-5170-14L   |                                                                                       |


## Foot Plates (Continued)

| Jay Foot Box - Standard Height |                                                                                   | Spex Calf Strap             |                                                                                     |
|--------------------------------|-----------------------------------------------------------------------------------|-----------------------------|-------------------------------------------------------------------------------------|
| <b>12"</b><br>1453-5012-STD    |  | <b>10"</b><br>1402-6170-017 |  |
|                                |                                                                                   | <b>12"</b><br>1402-6171-017 |                                                                                     |
|                                |                                                                                   | <b>14"</b><br>1402-6172-017 |                                                                                     |

## Canopy Options

| Iris Canopy                                                                         | Folding Sunhood                                                                     | Hoggi Canopy                                                                                                      | UV Shade                                                                              | Rain Cover                                                                            |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| Suits wheelchairs<br>10"-20" wide.<br>1568-125320                                   | <b>450mm wide</b><br>1446-7545-000                                                  | Suits wheelchairs<br>10"-16" wide.<br>Includes free rain<br>cover suitable for<br>smaller users.<br>1800-7500-000 | 1446-7710-000                                                                         | Bingo buggy style.<br>2880-7651-000                                                   |
|                                                                                     | <b>550mm wide</b><br>1446-7555-000                                                  |                                                                                                                   |                                                                                       |                                                                                       |
|  |  |                                |  |  |

## Tray

| Spex Clear Tray 5ml                                                                 | Spex Black Tray 5ml                                                                 | Zippie Style Tray                                                                    | Travel Tray                                                                           |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| <b>Small</b> 1311-7111-000<br>(Suits 10-13" wheelchairs).                           | <b>Small</b> 1311-7101-000                                                          | <b>X-Small</b> 1560-7110-100                                                         | <b>Small</b> 1311-7441-209                                                            |
| <b>Medium</b> 1311-7112-000<br>(Suits 14-17" wheelchairs).                          | <b>Medium</b> 1311-7102-000                                                         | <b>Small</b> 1560-7113-100                                                           | <b>Medium</b> 1311-7442-209                                                           |
| <b>Large</b> 1311-7113-000<br>(Suits 18-21" wheelchairs).                           | <b>Large</b> 1311-7103-000                                                          | <b>Medium</b> 1560-7115-100                                                          | <b>Large</b> 1311-7443-209                                                            |
|  |  | <b>Large</b> 1560-7118-100                                                           |  |
|                                                                                     |                                                                                     | <b>X-Large</b> 1560-7121-100                                                         |                                                                                       |
|                                                                                     |                                                                                     |  |                                                                                       |

# Tray Accessories

| Elbow Protraction Guards         |                                                                                   | Elbow Pads                          |       |        |       |
|----------------------------------|-----------------------------------------------------------------------------------|-------------------------------------|-------|--------|-------|
| For Small Tray<br>1311-7351-000  |  | Neoprene Pads 8mm<br>1311-7301-400  | Small | Medium | Large |
| For Medium Tray<br>1311-7352-000 |                                                                                   |                                     |       |        |       |
| For Large Tray<br>1311-7353-000  |                                                                                   | CCF Foam Pads 10mm<br>1311-7302-400 |       |        |       |

# Tray Padding

| 8mm Neoprene Padding    | 10mm CCF Foam Padding   |  |
|-------------------------|-------------------------|-------------------------------------------------------------------------------------|
| Small<br>1311-7431-291  | Small<br>1311-7431-360  |                                                                                     |
| Medium<br>1311-7432-291 | Medium<br>1311-7432-360 |                                                                                     |
| Large<br>1311-7333-291  | Large<br>1311-7343-360  |                                                                                     |

# Arm Supports

| Upgrade Iris - Dual post height adjustable arm support | Upgrade Iris - Length Adjustable locking flip up arm rests |
|--------------------------------------------------------|------------------------------------------------------------|
| With desk length pad.<br>1568-4403-000                 | With full length pad (pair).<br>1568-5651-000              |

| Spex Comfi Padded Style Armrests |                              |
|----------------------------------|------------------------------|
| Size 1 Narrow<br>1156-5811-410   | Size 1 Wide<br>1156-5821-410 |
| Size 2 Narrow<br>1156-5812-410   | Size 2 Wide<br>1156-5822-410 |
| Size 3 Narrow<br>1156-5813-410   | Size 3 Wide<br>1156-5823-410 |

| Medifab Armrest Pad Interface Adapter Kit |
|-------------------------------------------|
| For Quickie wheelchairs.<br>1350-5880-100 |

# medifab

Distributed by Medifab Ltd

[solutions@medifab.com](mailto:solutions@medifab.com)

[medifab.com](http://medifab.com)



DISTRIBUTED BY:

Script: Zippie Iris\_20260129