				7inn	oie Zo	no			
	IDE				ary 2				
2	ipp	JIC.	)		eirzi Eirzi	ULL			
⊨	Date:						SUBMITTING FOR:		Order
	Dealer Acct #:						SOBWITTING FOR.		Oldel
	Dealer Acct #.						PO#:		
Г	Dealer Contact:						ip To:		
	ealer Address:						ntion:		
	Dealer City:		ST: ZIP:				dress:		
	Dealer Phone:	()					dress:		
		( )	<u> </u>			Ship To		ST:	ZIP:
	Confirm Via:	□ Fax				Ship To Pl		Fax: ( )	·
	Mark For:								
			CS CODES herein are based on PDAC verification of HCPCS CODES, including misc. codes to ensure acc						
	Option #	HCPCS	Definition	Price	v 200	Option #	HCPCS	Definition	Price
ŕ	Opuon #	псрсз	Dennitori	1. FRAM		Opuon #	ncros	Denniuon	PIICe
			Frame w/ seating				Frame	w/o seating	
	190FS38	E1235	Zippie Zone w/ seating	\$2,786		190FS40	E1237 Zippie Zone	w/o seating	\$2,604
	190FS39	E1235	Zippie Zone, Flared w/ seating (Increase of total frame length appx. 2" - 1" per	\$2,819		190FS41	E1237 (Increase of to	Flared w/o seating tal frame length appx. 2" - 1" per	\$2,630
			side flare.)				side flare.)		
	Note		des shown as submitted. Some sizes fit other HCPC codes i.e. 15"-16" widths = K0005			Note:		submitted. Some sizes fit other HCP 16" widths = K0005	С
				2. TR/					
			T 10 1	2.110					
_			Transit Option (Rear frame extends 1" to accom. transit & not						
	190TO41	K0108	lose depth adj. range; N/A w/ 18" depth; N/A w/	\$315					
			seat ht. below 15" w/ inset frame)						
			· · · · · · · · · · · · · · · · · · ·						
			3. FRAME SETUP/ ANGLE					E PACKAGE	8
	190FA8		80º Frame Angle	NC		190QE01	Z Performan	v	
								Single Sided Fork	\$125
					1			Ultra Lightweight Wheel	\$250
L_	100551	F	rame Inset Per Side (Footrest)					Spoke Guards Clear Zippie	\$115
	190FF1		0"	NC				Compact Wheel Lock	\$125
	190FF2		1" (N/A 8"-9" frame width or with flared frame)	NC				Retail Value Package Price	\$615 \$333
								TackageThe	4000
				3. FRAME	E COLOR				
			Standard Colors				Standard	Matte Colors	
	190C140		Aztec Gold	NC		190C116	Matte Black		NC
	190C118		Bead Blast	NC		190C151	Matte Black		NC
	190C2		Black (N/A as base w/Zebra)	NC		190C152	Matte Purple		NC
	190C141		Black Cherry	NC		190C150	Matte Electri		NC
	190C10		Black Opal	NC		190C149	Matte Everg	reen	NC
	190C38		Blue Opal	NC					
	190C36		Candy Blue	NC				alized Colors	A / - ·
	190C14		Candy Purple	NC		190C43	Mossy Oak	•	\$424
	190C35		Candy Red	NC		190C42	Stars and St	1	\$424
	190C142		Electric Blue	NC		190C108	Zebra (Choos black)	se base color above: White Std. N/A	\$424
	190C143		Evergreen	NC			DIACK)		
	190C126		Glow	NC				O da u Da alta na	
	190C144		Green Apple	NC	. L	Farth: D. 1		Color Package	11 h + h ! - · !
	190C147		Hot Sparkle Pink	NC	_			ve; If Frog Legs are chosen, forks wi	1
	190C148		Mauve Pink	NC		190EB07	Black		NC

190EB07	Black	NC
190EB08	Blue	\$161
190EB13	Gold	\$161
190EB09	Green	\$161
190EB11	Red	\$161
190EB12	Ti Grey	\$161

NC

NC

NC

NC

NC

190C103

190C114

190C145

190C113

190C8

Rootbeer

Yellow

Sparkle Silver

Sunrise Orange

Titanium Color Paint

			4. FRAME	EWIDTH			
_				_			
	190W35	8" (N/A w/ 17"-18" depth)	NC		190W4	13"	NC
	190W36	9" (N/A w/ 17"-18" depth)	NC		190W5	14"	NC
	190W1	10" (N/A w/ 17"-18" depth)	NC		190W6	15"	NC
	190W2	11" (N/A w/ 17"-18" depth)	NC		190W7	16"	NC
	190W3	12"	NC				

		5. SEAT DEPTH (	FRAME D	DEPTH)				
	For additional caster/wheel clearance you can choose a di	fferent frame length and	sling depth (i.e. shorter sling vs longer frame to allow more wheel/caster combos.)					
	8" (Frame grows 9" -11")			190SD7	14" (Frame grows 15" - 17")	NC		
190SD1	(Only avail. With 18" rear wheels	NC		190SD8	15" (Frame grows 16" - 18")	NC		
	and 3" casters)			190SD9	16" (Frame grows 17" - 18")	NC		
190SD2	9" (Frame grows 10" - 12")	NC		190SD10	17" (Frame grows 18")	NC		
190SD3	10" (Frame grows 11" - 13")	NC		190SD11	18" (No Depth Growth)	NC		
190SD4	11" (Frame grows 12" - 14")	NC		1903011	(N/A with Transit)	INC		
190SD5	12" (Frame grows 13" - 15")	NC	-					
190SD6	13" (Frame grows 14" - 16")	NC						

		6. SLING	DEPTH								
 For additional caster/wheel clearance you can choose a different frame length and sling depth (i.e. shorter sling vs longer frame to allow more wheel/caster combos.)											
190GJ1	8" (Sling Grows 9"-10")	NC		190GJ6	13" (Sling Grows 14"-15")	NC					
190GJ2	9" (Sling Grows 10"-11")	NC		190GJ7	14" (Sling Grows 15"-16")	NC					
190GJ3	10" (Sling Grows 11"-12")	NC		190GJ8	15" (Sling Grows 16"-17")	NC					
190GJ4	11" (Sling Grows 12"-13")	NC		190GJ9	16" (Sling Grows 17"-18")	NC					
190GJ5	12" (Sling Grows 13"-14")	NC		190GJ10	17" (Sling Grows 18")	NC					
· · · · · ·				190GJ11	18" (No Growth)	NC					

				7. SEATING
			Seating Systems	
	190OP05		Ultra Seat Sling (Tension Adjustable)	NC
	1900P04		Omit Seat Sling	NC
	190CU30	K0669	1" Cushion (See matrix for availability)	\$128
	190CU1	K0669	2" Cushion (12" wide and up only)	\$161
_				

JAY Cushions (Optional) To order any JAY cushions on-chair, please see the JAY price list. Cushion name or part number must be filled out with desired width and depth

Depth (in.):

JAY Bundled Cushion

Width (in.):

Cushion Name or Part #

190JC20

					V	Vidt	h					
		8"	9"	10"	11"	12"	13"	14"	15"	16"		
	8"										8"	
	9"										9"	
	10"										10"	
£	11"										11"	4
Sling Depth	12"										12"	Cling Douth
D C	13"										13"	<b>,</b>
ing	14"										14"	ġ
S	15"										15"	Ŭ
	16"										16"	
	17"										17"	
	18"										18"	
		8"	9"	10"	11"	12"	13"	14"	15"	16"		
					V	Vidt	h					
1" Cushion available at these sizes 1" Cushion NOT available at these sizes												

## 8. BACKREST

Price List

Backrest Type								
	190BT96		Folding Angle Adj. w/ Double Lock Down	NC				
_								
			Backrest Upholstery					
Must	complete Section	A on next pa	age					
	190BU1		Standard Upholstery (N/A with Fold Down Push Handles)	NC				
	190BU72		Omit Std. Upholstery (N/A with Fold Down Push Handles) (Default when choose w/o seating)	NC				
Must	complete Section	B on next pa	age					
	190BU70	E2611	Tension Adj. Ballistic Nylon 186BU70 (N/A with 8"-9" widths)	\$338				
	190BU73		Omit Tens. Adj. Ballistic Nylon	NC				

		JAY Backs (Optional)			
То о	rder any JAY	backs on-chair, please see the JAY Price Lst. Req	uires Part #		
		JAY Bundled Backrest			
	190JB02	Backrest Name or Part #	Price List		
_		Width (in.) Height (in.):			
		Backrest Handle Option (Stroller Handle)			
8 - 10					
handi	le outside std. 2	single stroller handle; omit push handle recommended. F " extension and inside 4" ext. Double "D" tubing to elimina	te rotation.		
			•		
hand.	le outside std. 2	2" extension and inside 4" ext. Double "D" tubing to elimina	te rotation.		
handi	le outside std. 2 190A192	extension and inside 4" ext. Double "D" tubing to elimina     Telescoping Push Handles (19" from Seat)     Telescoping Push Handles - Tall     (25" from seat to push handle)	te rotation. \$230		
handi	le outside std. 2 190A192	extension and inside 4" ext. Double "D" tubing to elimina     Telescoping Push Handles (19" from Seat)     Telescoping Push Handles - Tall	te rotation. \$230		
handi	le outside std. 2 190A192	2" extension and inside 4" ext. Double "D" tubing to elimina         Telescoping Push Handles (19" from Seat)         Telescoping Push Handles - Tall         (25" from seat to push handle)    Backrest Extension	te rotation.		

			1A: OMIT PUSH HANDLE OPTIC	NS W/ STANDARD		STERY OR WH			
	190PH2		Omit Push Handles	NC		STERT OR WI			
				Choose 0 or 1" Inse	et and E	ack Height			
	1900D7		<b>0 inset</b> (straight back tubes)	NC		190OD5		1" inset (N/A 8"-9" widths)	\$80
-		Sotting	6"- 8" Back Height	NC			Setting	11"- 13" Back Height	NC
		Setting		NC			Seuing	□ 11" □ 12" □ 13"	NC
		Setting	9" - 13" Back Height	NC 12"	OR		Setting	14" - 16" Back Height	NC
		Setting	13" - 17" Back Height				Setting	16" - 18" Back Height	NC
		Sotting	□ 13" □ 14" □ 15" □ 15" - 18" Back Height	16"					
		Setting		18"					
			2A: INTEGR	AL PUSH HANDLE		IS W/ STANDA	RD UPH.		
	190PH6		Integral Push Handles	NC					
				Choose 0 or 1" Inse	et and E	ack Height			
_	1900D7		<b>0 inset</b> (straight back tubes)	NC		190OD5		1" inset (N/A 8"-9" widths)	\$8
		Setting	9"-10" Back Height	NC			Setting	12"- 14" Back Height	NC
		Catting	11" - 15" Back Height	NC	R		Catting	14" - 16" Back Height	NC
		Setting			0		Setting		NC
		Setting	13" - 16" Back Height         □ 13"       □ 14"       □ 15"				Setting	16" - 18" Back Height □ 16" □ 17" □ 18"	NC
		Setting	15" - 18" Back Height	NC					
				18"					
			SECTION B	- Tension Ad	justa	ble Ballist	ic Ny	on	
				IT PUSH HANDLE O	PTIONS	SW/TENSION	ADJ.		
	190PH2		Omit Push Handles	NC Choose 0 or 1" Inse	t and E	ack Height			
	1900D7	Í	0 inoct (straight back tubes)	NC		190OD5		1" inset (N/A 8"-11" widths)	\$86
		0	0 inset (straight back tubes) 11"- 14" Back Height	NC NC			0	11 "Inset (N/A 8"-11" widths) 11 "- 13" Back Height	Sec.
	Ц	Setting		14"	OR	Ц	Setting		
		Setting	13" - 15" Back Height	NC	Ŭ		Setting	14" - 16" Back Height	NC
		Setting	15" - 18" Back Height	NC			Setting	16" - 18" Back Height	NC
				18"					
				RAL PUSH HANDLE		NS W/ TENSIO	N ADJ.		
			Integral Push Handles	NC					
				Choose 0 or 1" Inse	et and E	ack Height			
	1900D7		<b>0</b> inset (straight back tubes)	NC		190OD5		1" inset (N/A 8"-11" widths)	\$80
		Setting	9"-10" Back Height	NC			Setting	12"- 14" Back Height	NC
	-	Cottine -	11" - 14" Back Height	NC	2			□ 12" □ 13" □ 14" 14" - 16" Back Height	NC
		Setting		14"	OR	Ц	Setting		
		Setting	13" - 16" Back Height	NC 16"			Setting	16" - 18" Back Height	NC
		Setting	15" - 18" Back Height	NC				· · · · · · · · · ·	
	_	3		18"					
			3B: FOLD D	OWN PUSH HANDL	E OPTI	ONS W/ TENSI	ON ADJ.		
	190PH5		Fold Down Push Handles	\$102					
				Choose 0 or 1" Inse	et and E	ack Height			
	1900D7		<b>0 inset</b> (straight back tubes)	NC		190OD5		<b>1" inset</b> (N/A 8"-11" widths)	\$80
		Setting	11"-12" Back Height	NC	2		Setting	15"- 17" Back Height	NC
			13" - 16" Back Height	NC	OR	п	Setting	17" - 18" Back Height	NC
	Γ	Settina							
		Setting Setting	□ 13" □ 14" □ 15" □ 15" - 18" Back Height	16" NC			Octang		


9. ARMRESTS

	۸.	mroot De	ddad Swin	a Away						
 Armrest - Padded Swing Away With Transit, Lose 1" Seat Depth Growth										
 1004400					¢040					
190AA23	E0973		wing Away		\$242					
	Setting	□ 5"	□ 6"	□ 7"	□ 8"	□ 9"				
190AA18	E0973	Padded S	wing Away	- Std.		\$242				
	Setting	□ 9"	□ 10"	□ 11"	□ 12"	□ 13"				
	Setting	□ 14"								
With	Transit, Lose 1	" Seat Depth	Growth, belo	ow option add	s 3" in Lengti	h				
190AA127	E0973	Padded S	wing Away	+3" - Low		\$242				
	Setting	□ 5"	□ 6"	□ 7"	□ 8"	□ 9"				
190AA128	E0973	Padded S	Padded Swing Away+3" - Std.							
	Setting	□ 9"	□ 10"	□ 11"	□ 12"	□ 13"				
	Seung	□ 14"								

Armrest - T-Post Foam (see armrest matrix below)									
190AA129	E0973	T-Post Foam xtra tall	\$225						
190AA130	E0973	T-Post Foam 2x tall	\$225						

Α	rmrest - H	leight Adjustable (see armrest matrix belo	ow)
 С	omes with	std. armrest receiver only - N/A with 8"-9" dep	ths
190AA11	E0973	Single-Post Height Adj. Std. (N/A with 8"-11" depths)	\$306
190AM23		Desk Classic	NC
190AM21		Desk Contour	NC
190AM24		Full Classic	NC
190AM22		Full Contour	NC
190AA29	E0973	Single-Post Height Adj. Low. (N/A with 8"-9" depths)	\$306
190AM23		Desk Classic	NC
190AM21		Desk Contour	NC
190AM24		Full Classic	NC
190AM22		Full Contour	NC

			Armrest Matrix	for Single Pos
Armrest	Transfer Tube	CLASSI	C PAD	
Size	Length (D)	Height Range (H)	Pad Le	ngth (L)
0120	Lengin (D)	Height Kange (H)	Desk	Full
STD	8"	8" to 13"	10-1/4"	14"
LOW	5-1/4"	6-1/2" to 10-1/2"	10 1/4	17
Armrest	Transfer Tube	CONTOL		
Size	Length (D)	Height Range (H)	Pad Le	<u> </u>
0.20	2011gui (2)		Desk	Full
STD	8"	7-1/2" to 12-1/2"	10-1/2"	14-1/4"
LOW	5-1/4"	6" to 10"	10-1/2	14-1/4
		Armrest - T-Post Foam		•
Arm	rest Size	Height Range (H)	Pad Le	ngth (L)
Xtra Tall		6" to 7"	7-1	/2''
2	X Tall	7" to 8"	7-1	/2"



**10. FOOTRESTS** 

Footrest					
190F228		Aluminum Tubular	NC		
190F273		Aluminum Tubular w/ Snap-On Cover	\$33		
190F50	K0040	Aluminum Platform (8" width is only available with high mount option)	\$102		
190F276	K0040	Angle Adj. Flip Back (N/A with 6" caster with an 8" width)	\$199		
		Adaptive Platform Spacers			

	Adaptive Flattorin Opacers				
 N/A with Aluminum Tubular. Now available with Angle Adj. Flip Back.					
190AD1	Adaptive Platform 2" Spacer	\$102			
190AD2	Adaptive Platform 4" Spacer	\$102			
190AD3	Adaptive Platform 6" Spacer	\$102			

	Fo	potrest Options (see matrix below)	
190DI08		High Mount Ext Tubes (N/A w/ tubular footrest; N/A w/ 16" wide flared frame) **	\$81
190DI03	K0038	Leg Strap	\$43
190DI04		Extra Leg Strap	\$38
190DI05		Gel Hanger Cover	\$113
190DI07		Neoprene Impact Guards	\$97
190DI02		Wear Pads	\$54

SEAT SLING TO FOOTREST DISTANCE (based on 1" Seat Angle) \* Seat to Footrest distances may be +/- 1" from data shown dep. on frame type. \*\* High mount can adj. full range to seat sling Note: Flip back may interfere with sling at highest settings.

FSH	Caster	*Minimum	*Maximum
14.5*	3"	10.4"	11.4"
14.5"	4"	9.4"	10.9"
15.0*	3"	11.4"	12.4"
15.0"	4*	10.4"	11.9"
15.0"	5"	9.4"	11.4"
15.5"	3"	11.4"	12.4"
15.5*	4*	10.4"	11.9"
15.5*	5"	10.4"	12.4"
15.5°	6"	9.4*	11.9"
16.0°	3"	12.4	13.4"
16.0"	4-	12.4"	13.9"
16.0"	5"	10.4"	12.4"
16.0"	6"	10.4"	12.9"
16.5*	3"	12.4"	13.4
16.5	4*	11.4"	12.9"
16.5	5"	10.4"	12.4
16.5	6"	10.4*	12.9"
17.0°	3"	13.4"	14.4"
17.0°	4*	12.4"	13.9"
17.0°	5"	11.4"	13.4
17.0°	6"	11.4"	13.9"
17.5	3"	13.4"	14.4"
17.5	4*	12.4"	13.9"
17.5	5*	11.4"	13.4"
17.5	6"	11.4"	13.9"
18.0°	3"	14.4*	15.4
18.0*	4*	13.4"	14.9"
18.0*	5*	12.4"	14.4"
18.0°	6"	11.4"	13.9"
18.5*	3"	14.4*	15.4"
18.5*	4-	14.4*	15.9"
18.5*	5*	12.4"	14.4"
18.5*	6"	12.4"	14.9"
19.0*	3"	14.4*	15.4"
19.0 <b>°</b>	4*	14.4*	15.9"
19.0 <b>°</b>	5*	12.4	14.4"
19.0*	6"	12.4	14.9"

Rear Wheel Size	□ 3"	□ 4"	□ 5"	□ 6"
			N/A	N/A
	□ 14.5" □ 15.0"	□ 14.5" □ 15.0"	□ 15.0"	IN/A
	□ 15.0" □ 15.5"	□ 15.0 □ 15.5"	□ 15.0 □ 15.5"	□ 15.5"
	□ 15.5 □ 16.0"	□ 15.5 □ 16.0"	□ 15.5 □ 16.0"	□ 15.5 □ 16.0"
18"	□ 16.5"	□ 16.5"	16.5"	□ 16.5"
10	□ 10.5 □ 17.0"	□ 10.0"	□ 10.5 □ 17.0"	□ 10.3 □ 17.0"
	□ 17.5"	□ 17.5"	□ 17.5"	□ 17.5"
	□ 17.0 □ 18.0"	□ 17.0"	18.0"	□ 17.5 □ 18.0"
	□ 18.5"	□ 18.5"	18.5"	□ 18.5"
	□ 19.0"	□ 19.0"	□ 19.0"	□ 19.0"
	□ 14.0"	□ 14.0"		
	14.5	□ 14.5"	N/A	N/A
	□ 15.0"	□ 15.0"	□ 15.0"	
	□ 15.5"	□ 15.5"	□ 15.5"	□ 15.5"
	□ 16.0"	□ 16.0"	□ 16.0"	□ 16.0"
20"	□ 16.5"	□ 16.5"	□ 16.5"	□ 16.5"
	17.0"	□ 17.0"	□ 17.0"	17.0"
	17.5"	□ 17.5"	□ 17.5"	□ 17.5"
	□ 18.0"	□ 18.0"	□ 18.0"	□ 18.0"
	□ 18.5"	□ 18.5"	□ 18.5"	□ 18.5"
	19.0"	19.0"	□ 19.0"	19.0"
	15.5"	□ 15.5"	□ 15.5"	□ 15.5"
	16.0"	□ 16.0"	□ 16.0"	0 16.0"
	0 16.5"	□ 16.5"	□ 16.5"	0 16.5
22"	□ 17.0"	□ 17.0"	□ 17.0"	□ 17.0"
	0 17.5"	□ 17.5"	□ 17.5"	0 17.5"
	□ 18.0"	□ 18.0"	□ 18.0"	□ 18.0"
	□ 18.5"	□ 18.5"	□ 18.5"	□ 18.5"
	19.0"	□ 19.0"	□ 19.0"	□ 19.0"
	0 16.0	□ 16.0"	□ 16.0"	16.0"
	□ 16.5" 	□ 16.5" 	□ 16.5"	□ 16.5"
	17.0"	□ 17.0" —	□ 17.0"	17.0"
24"	17.5"	□ 17.5" —	□ 17.5"	□ 17.5"
	□ 18.0"	□ 18.0"	□ 18.0"	18.0"
	□ 18.5"	□ 18.5"	18.5"	□ 18.5"
	□ 19.0"	□ 19.0"	☐ 19.0" N THE BOXES A	□ 19.0"

Front Seat Height Matrix

Not Available with 1" Inset

## 11. CASTERS

Caster Wheel					
190CW1		3" Micro	NC		
190CW3		4" Low-Profile Polyurethane	NC		
190CW31		4" Micro Light Up	\$75		
190CW64		4" x 1.5" Aluminum Soft Roll	\$199		
190CW5		5" Low-Profile Polyurethane	NC		
190CW51		5" Micro Light Up	\$94		
190CW6	E2219	5" Soft Roll (Grey) (N/A with Frog Legs)	\$97		

190CW7		5"x1.5" Semi-Pneumatic	\$92
190CW66		5"x1.5" Aluminum Soft Roll	\$209
190CW34		6" Poly	NC
190CW35		6"x1.5" Semi-Pneumatic	\$92
		Caster Forks and Suspension	<b>\$01</b>
190CF65			NC
190CF65 190CF69		Caster Forks and Suspension	NC
	E1015	Caster Forks and Suspension Multiple Position	

## 12. AXLES AND WHEELS

Axle Plate				
190AL61	Adjustable (COG Adjustable -0.25" through 2.25" in 0.25" increments)	NC		

Center of Gravity Preset							
 Dependent on wheels, casters & depth							
190CC21	-0.25"	NC					
190CC26	0.00" (Flush w/ backrest)	NC					
190CC22	0.25"	NC					
190CC16	0.50"	NC					
190CC23	0.75"	NC					
190CC20	1.00"	NC					
190CC24	1.25"	NC					
190CC15	1.50"	NC					
190CC25	1.75"	NC					
190CC17	2.00"	NC					
190CC27	2.25"	NC					

Camber					
190CI1	0°	NC			
190CI2	30	NC			
190Cl4	6° (N/A with Std Mag, 5 spk MAG Wheels and Hub locks or Side guard Hub locks)	NC			

Rear Seat Height							
	Can not exceed 2.5" drop						
	190RH11	13"	NC				
	190RH12	13.5"	NC				
	190RH13	14"	NC				
	190RH14	14.5"	NC				
	190RH15	15"	NC				
	190RH16	15.5"	NC				
	190RH17	16"	NC				
	190RH18	16.5"	NC				
	190RH19	17"	NC				
	190RH26	17.5"	NC				
	190RH20	18"	NC				
	190RH27	18.5"	NC				
	190RH21	19"	NC				

															, ruii
1	190RH21			19"									NC		Higl
															SHO
					Rea	ar Se	at H	eigh	t Mir	nimu	m				Kno
	Rear Wheel	13.0"	13.5"	14.0"	14.5"	15.0"	15.5"	16.0"	16.5"	17.0"	17.5"	18.0"	18.5"	19.0"	Pne
	18"														Pne
	20"														Sch
	22"														Sch
	24"														Low

* With 22" & 24" rear wheels and KIK or HP Clinchers, you may get an additional 1/2" lower seat	
height in some scenarios.	

Rear Wheels							
	190RW12	18" Spoke (N/A with Spinergy, Natural Fit Handrim or Hub Lock)	\$107				
	190RW3	20" Mag	NC				
	190RW8	22" Mag	NC				
	190RW1	24" Mag	NC				
	190RW103	20" Mag Wheel 5 Spoke	NC				
	190RW104	22" Mag Wheel 5 Spoke	NC				
	190RW102	24" Mag Wheel 5 Spoke	NC				
	190RW74	20" Lite Spoke Wheel	\$215				
	190RW75	22" Lite Spoke Wheel	\$215				
	190RW76	24" Lite Spoke Wheel	\$215				
	190RW06	22" Ultra lightweight Spoke Wheel 2.0	\$268				
	190RW10	24" Ultra Lightweight Spoke Wheel 2.0	\$268				
	190RW28	22" Spinergy SPOX Black Spokes	\$880				
	190RW95	24" Spinergy SPOX Black Spokes	\$880				
	190RW32	22" Spinergy LX Black Spokes	\$1,101				
	190RW98	24" Spinergy LX Black Spokes	\$1,101				

Rear Wheel Tire							
	190RT3		Full Poly Tire	NC			
	190RT6	E2211 E2212	High Pressure Clincher	\$102			
	190RT38	E2218	SHOX Performance Poly	\$102			
	190RT27	E2211 E2212	Knobby V-TRAK by Kenda	\$102			
	190RT1		Pneumatic	NC			
	190RT2	E2211 E2213	Pneumatic Airless Insert	\$92			
	190RT21	E2211 E2212	Schwalbe Marathon Plus Evolution	\$151			
	190RT28	E2211 E2212	Schwalbe Speed	\$151			
	190RT4		Low Poly	NC			

Wheel	5 Spoke Mag	Mag	Lite Spoke	Ultra Light- w eight	Spinergy	Spoke	
Full Poly Tire	20",22",24"	20",22",24"	20",22"	N/A	N/A		
High Pressure Clincher	N/A	N/A	22",24"	24"	22" ,24"	N/A	
SHOX Performance Poly	20",22",24"	24"	24"	24"		N/A	
Knobby V-TRAK	N/A	N/A	24"	N/A	24"		
Pneumatic	20" ,22" ,24"	20" ,22" ,24"	20" ,22" ,24"	N/ A	22" ,24"	18"	
Pneumatic Airless Insert	20",22",24"	20" ,22" ,24"	20" ,22" ,24"		22" ,24"	18"	
Schwalbe Marathon Plus	N/A	N/A	24"	22",24"	22" ,24"		
Schwalbe Speed Run	N/A	N/A	24"	24"	22" ,24"	N/A	
Low Poly	24"	20",22",24"	20" ,22" ,24"	N/A	N/A		
	22" = 4	89 mm 24	" = 540 mm				

22" Rea	ar Wheels w/ 5" Casters & 3° or 6° of Camber 0" Frame Inset						
	Not available in 12" or less seat depths						
13" Seat Depth	<ul> <li>Must have front seat to floor height at least 17" in the front and 15-1/2" in the rear.</li> <li>You can increase STFs but must keep 1-1/2" dump.</li> <li>If you change camber to 0° you can get away with 1" dump</li> <li>You must choose COG setting of -1/4".</li> </ul>						
14" Seat Depth	<ul> <li>Able to get away with 1" seat dump with a minimum of 15-1/2" in the Rear and 16-1/2" in Front.</li> <li>Can have COG set as far forward as +1/4".</li> </ul>						
15" Seat Depth	<ul> <li>Able to get away with 1" seat dump with min of 15" Rear STF and 16" Front STF</li> <li>COG can be adjusted as far forward as 1".</li> </ul>						
22" Rear	Wheels w/ 4" Casters, 3° or 6° of Camber, and 0" Frame Inset						
	Not available in 8" or 9" seat depths.						
10" Seat Depth	<ul> <li>Must have at least a 15" Rear STF and 16" Front STF.</li> <li>COG setting must be -1/4".</li> <li>If you increase Rear STF to 15-1/2" and 16-1/2" Front STF you can move COG to 0".</li> <li>If you increase the dump to 1 ½" (15 R-STF and 16 1/2" F-STF) or change Camber to 0 degress you can increase COG to 1/4".</li> </ul>						
11" Seat Depth	• Same as 10" Seat Depth, just allows you to have COG setting a 1/4"						
12" Seat Depth	<ul> <li>Must have at least 15" Rear STF and 15-1/2" Front STF.</li> <li>COG setting can be as far forward at 1/2".</li> <li>If you increase the dump to 1" instead of 1/2" you can increase COG as far forward as 1".</li> </ul>						
24" Rea	24" Rear Wheels w/ 4" Casters, 3° or 6° Camber, and 0" Frame Inset						
	Not available in 10" seat depths or less.						
11" Seat Depth	<ul> <li>Must have at least a 16" Rear STF and 17" Front STF.</li> <li>COG setting can be 0" or -1/4".</li> </ul>						
12" Seat Depth	<ul> <li>Must have at least 16" Rear STF and 17" Front STF.</li> <li>COG setting can be as far forward as 1". (Camber must be 3 degrees)</li> <li>If camber is 6° than COG can only be as far forward as 3/4"</li> </ul>						

Handrim							
190HR1	Aluminum Anodized	NC					
190HR4	Plastic Coated (N/A on Ultra)	\$118					
190HR22	Natural Fit -Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$478					
190HR23	Natural Fit - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$532					
190HR30	Natural Fit LT - Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$478					
190HR31	Natural Fit LT - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$532					
190HR24	Spinergy Flex Rim (Only on 24" Spinergy LX)	\$751					
190HR7	Omit Handrim (Only on Mag, 24 Spinergy)	NC					
	Axle						
190AX1	Quick Release Steel	NC					

HUB LOCK								
	Only available with Lite Spokes; N/A with 6° camber							
190LK03	Seat Frame Mount	\$107						
	(Side Guard - See Below)							
;	Side Guard (N/A with Ht. Adj. Armrest or T-Post)							
190SG33	Plastic Standard (N/A 8"-9" depth; N/A w/ low padded swing aways.)	\$151						
190SG29	Plastic Low (N/A 8"-9" depth; N/A w/ Padded Swing Aways low setting 5&6)	\$151						
190SG7	Aluminum Folding	\$199						
190SG37	Aluminum w/ Fender & Hub Lock (Pull to lock - single hand R-side mount) (N/A with seat frame mount hub lock)	\$296						
190SG38	Aluminum w/ Fender & Hub Lock (Pull to lock - single hand L-side mount) (N/A with seat frame mount hub lock)	\$296						

Hub Lock

Aluminum Side Guard Color Option						
Only available with Aluminum Side Guard						
	190GE01		Black	NC		
	190GE02		Matching Frame - Std. Colors	NC		
	190GE03		Matching Frame - Personalized Color	\$53		
_						
Anti-Tip						
	190AT1	E0971	Rear Anti-Tips (N/A w/ Dynamic Center Rear Caster)	\$161		

Dynamic Center Rear Caster						
1908A20	E0971	Dynamic Center Rear Caster (N/A w/ Rear Anti-Tips)	\$317			

Wheel Lock					
190WL1	High Mount Push	NC			
190WL2	High Mount Pull	NC			
190WL30	Compact	\$151			
190WL10	Omit Wheel Lock	NC			

		Extension Handle	
190EH1	E0961	6" Pair	\$81

13. ACCESSORIES

	Back Pack (Kids Backpack included)	
190A1	Utility Backpack - Black	\$81
190A2	Additional Kids Black Backpack	\$64
190A8	Black Seat Pouch	\$54

			Miscellaneous	
	190A203	E2207	Crutch Holder	\$209
	190A83		Tool Kit	\$59
_				
			Positioning Belt (w/ clamps)	
	190A112	E0978	1" Dual Pull Side Squeeze Padded	\$92
	190A117	E0978	Belt 2" Aircraft Buckle	\$118
	190A118	E0978	Belt 2" Aircraft Buckle Padded	\$128
	190A141	E0978	Belt 1.5" Auto Buckle w/ clamps	\$75
	190A814	E0978	1" Comfort Fit APB5116	\$128
	190A120	K0108	Positioning Belt Side Clamp	\$54

lot a	available with	5 spoke N	/AG wheels	
	190A23	K0065	Black	\$123
	190A303	K0065	Spoke Guards Clear Zippie (N/A with Spinergy)	\$123
-				1
-			Upper Extremity Support Tray	
	190A29	E0950	X-Sm (Suggested 10"-12" Width)	\$274
	190A29 190A30			\$274 \$274
· ·		E0950	X-Sm (Suggested 10"-12" Width)	

To inquire about any unique personalization for Quickie products, contact: Phone: (800) 333 - 4000, Fax: (800) 333 9011

## Commonly Requested Options Include:

- ✓ Aluminum Seat Pan
- ✓ Swing Away Knee Aductor
- ✓ Height Adjustable Stroller Handle
- ✓ Removable Stroller Handle
- ✓ Personalized Paint and Anodizing





Sunrise Medical (US) LLC 2842 Business Park Ave. · Fresno, CA 93727 · USA