

Serial Number:

Manufacturing Date: /20



Sunrise Medical Australia 11 Daniel St Wetherill Park NSW 2164

Telephone: 02 9678 6600 www.sunrisemedical.com.au

DEALER NET

Effective November 2020 To place order/quote:orders@sunrisemedical.com.au



Distributor Name:				Notes/Commer	nts:	
Contact Name:						
Purchase Order No:						
Delivery Address:						
Postcode:						
Contact Name:						
Telephone:						
Email:						
			FOR RGK OF	FICE USE ONLY		
A/C No:				Net Value:	\$	
	Who	Date		Freight:	\$	
OK to Quote:				Invoice Value:	\$	

DOC

OK to Confirm:

Document No:

Payment Received: \$


OCT		Serial Number:	
		Manufacturing Date:	/20
	Base Product	Mandatory Information	() Information Required for Option
	Standard Configuration	Option with No extra cos	t Option with Extra cost
	FXTXZ010 OCTANE FX		A
	XA070 Open design		
	Max User Weight 110kg		
0	XW010 Full CAD drawing for app	proval	
0	XW011 Quick CAD drawing for a (Basic outline of chair wi	thin 2 working days*) *Approximate tim	
		KEY FRAME MEASUREN	ΛΕΝΤS
	XY010 Seat width (Inside of side	eguards)	×Y010
	<u>^</u>	(Max - 460mm) nm (Min - 250mm)	
	XY020 Seat length		
	<u>^</u>	(Max - 460mm) nm (Min - 250mm)	
	XY030 Extra seat length (Provia	les additional leg support & hand grip)	
	(i)	nm	
	XY050 Front frame height		
	<u>^</u>	(Max - 550mm) nm (Min - 480mm)	XY030 XY020
	XY060 Rear frame height		
	<u>^</u>	(Max - 550mm) nm (Min - 360mm)	XY050
	XY070 Frame length		
	<u>^</u> r	(Min XY020 + XY030 + 140mm) nm (Max 625mm)	XY070
	XY072 Castor position		XY072
		nm	XA020
	Optimise measur	ements	
0	XA020 Ergonomic seat		
	Specify length	(Standard = 120mm) nm	



Serial Number:

Manufacturing Date:







Manufacturing Date: /20




			CAST	OR WHEELS, FORK		HEEL LC	DCKS
				Castor Wh 3"			
	0	XC150	Aluminium centre 3"x1.4" (Silver hub and black ureth	ane tyre)			
				4"	I		
		XC060	Soft roll 4"x1.3" <i>(Black)</i>				
	0	XC110	Aluminium centre 4"x1" (Silver hub and black urethe	ane tyre)			
~	0	XC137	Carbon composite centre 4 (Black hub & black urethen				
Choose one castor option only	0	XC130	Aluminium centre 4"x1.4" (choose colour below)				
castor o	(\mathbf{i})		Silver hub & black tyre (Std)	Black hub & blue tyre	C	Purple hu	ub & black tyre Silver hub & blue tyre
one		Ē	Black hub & black tyre	Red hub & black tyre		Gold hub	& black tyre Silver hub & red tyre
Choose		Ē	Black hub & red tyre	Blue hub & black tyre	Ľ	Green hu	b & black tyre
Ū				5"	I		
		XC070	Soft roll 5"x1.3" <i>(Black)</i>		0	XC120	Aluminium centre 5"x1" (Silver hub and black urethane tyre)
	0	XC100	Pneumatic Aluminium cent (Grey)	re 5"x1"	0	XC140	Aluminium centre 5"x1.4" (Silver hub and black urethane tyre)
				6"	I		
		XC080	Soft roll 6"x1.3"		0	XC145	Aluminium centre 6"x1.4" (Silver hub and black urethane tyre)
				Castor Fo	rks		
C	хо		ow ride castor fork Std when no option selected)		0	XC210	Froglegs suspension castor fork
		Note	e: Colour follows accent		(j)	Black	Silver
				Castor Pin V	Vidth		
	XY		Castor pin width XY010 plus 70mm)	XY33			
-				Wheel Lock Options	(Choose o		
	XC	0020 l	Jnderseat Scissor			XD050	Push to lock
(D XD	0030 (Compact scissor		Ο	XD046	Out Front push to lock
() XC		Compact scissor with lightweig Only with fixed centre of grave			XD010	Omit wheel locks
() xc	0045 (Dut Front Compact scissor				



Manufacturing Date: /20



		SIDEGUARDS	S ANI) ARN	/RES	TS
		Sideguard Aluminium Options				Sideguard with Fender Aluminium Options
0	XE080	Lift out aluminium	0	XE090	0	Lift out aluminium with fender
0	FXTXE130	Fold flat aluminium	0	FXTX	E140	Fold flat aluminium with fender
		Carbon Fibre Options				Carbon Fibre Options
0	XE100	Lift out carbon fibre	0	XE110	0	Lift out carbon fibre with fender
0	FXTXE150	Fold flat carbon fibre	0	FXTXI	E160	Fold flat carbon fibre with fender
		ABS Plastic Options				Sideguard Measurements
0	XE120	Lift out ABS plastic			10mm	Fender height
0	FXTXE170	Fold flat ABS plastic			<i>(Stand</i> Individ	dual above tyre
		Armrest Options			(Min =	= <u>10mm</u>)
0	XF010	Lift out armrest with plastic sideguard (Indicate fixed height)		(j)		mm
0	XF020	Lift out armrest with aluminium sideguard		_	-	Fender position
	()	(Indicate fixed height) Height (Top of seatrail to top of armrest) mm Sideguard Measurements Optimised measurements	idual measurements			e of tyre dard if no option selected)
Choose optimised or individual measurements		imm above tyre bilow tyre) dividual above tyre bilow tyre) mm vel with tyre bilow tyre) Individual measurements	Choose optimised or individual measurements		Outsic	de of tyre
otimi:	Sic	deguard length				
Choose op		deguard height mm				





Manufacturing Date: <u>/20</u>_____



		САМВЕ	RΒ	AR		
		Adjustable Centre of Gravity				Fixed Centre of Gravity
se one	XH110	Square back adjustable centre of gravity (25-150mm) (Max seat width 500mm)	se one	0	FXTXH090	V-style fixed centre of gravity (25-125mm) Specify measurement
Centre of gravity - Choose one	<u>/!</u>	Specify measurement mm XH110	Centre of gravity - Choose one		Ţ	mm FXAXH090
Centre of {	XH120	Round back adjustable centre of gravity (60-150mm)	Centre of			
L	À	Specify measurement mm XH120				
		Specify Camber Angle		_		Specify Camber Angle
	XY390	Camber angle			XY390	Camber angle
<u></u>	2 🗖	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	ur On	L		
	FXTXK227	7 Standard Axle pin (120 or 130mm)		0	ХК220	Titanium 130mm quick release axle pins (pair) (N/A with XK010, XK070 or FXTXK226)
0	FXTXK226	5 100mm Titanium Axle pin (Sub4 Style)		0	XK240	Quad release axle nuts (pair) (N/A with FXTXK226)
		Anti-Tip	Optio	ons		
0	XJ010	Swingaway anti tip LEFT side (Only with square back frame. Not with XH040)		0	XJ100	Single sport anti tip (centre mounted)
0	XJ020	Swingaway anti tip RIGHT side (Only with square back frame. Not with XH040)				

T A b	VE	Seria	al Number:				R
IAI	NEI.	Ma	anufacturing Date	:	/20	_	
			REAR W	/HEELS			
			Whee				
	XY420	24" Wheels	XY430 25	5" Wheels		XY440 26" Wheels	
			Wheel	l Gap			
	XY460	Rear wheel gap $\rightarrow \vdash XY4$	60				
\wedge	15	20 25					
<u>/· \</u>							
		mm					
_			Wheel Options	(Choose o	-		
Ш	XK010	Fusion 16 spoke (Silver Hub, black spokes)		0	XK320	Spinergy XLX 12 spoke, cross/radial sp	poked
Ο	XK050	Spinergy LX 12 spoke		0	XK060	Spinergy SPOX 18 spoke	
0	XK150	Spinergy CLX 18 carbon blade spo	ke	0	ХК070	Spinergy BLXL 18 blade spoke	
Snin		ır Options:					
Ē	Black / Si	·	e / Black hub	0	XK180	Custom spoke design	
)	Red / Bla	ck hub Blue	/ Black hub			(Specify colour)	
Ē	Yellow /	Black hub Gree	n / Black hub			Inside:	
Ē	Pink / Bla	ck hub Oran	ge / Black hub			Outside:	
Ľ	Purple /	Black hub					
Custo		se Options		~			
C	ХК190	Black hub O XK200	Silver hub (N/A with CLX or BLXL)	, Охка		d hub/rims , XLX & BLXL only)	
С	ХК202	Purple hub/rims O XK203	Blue hub/rims	Охка		stom hub/rims	
		(LX, XLX & BLXL only)	(LX, XLX & BLXL only) Handrim	Position	Sele	ect colour:	
	XY480	Narrow set handrim			XY485	Wide set handrim	
	XI 000	Remove excess mounting tabs			_		
U	XL090	(recommended for small wheel ga	ps)				
_	VI.010		Handrim	Options			
ш	XL010	Aluminium hard anodised 6 tab (Standard if no option selected)		0	XL040	Titanium 6 tab	
Ο	XL030	Surge LT 6 tab		0	XL050	Stainless steel 6 tab	
0	XL020	Tetra grip 6 tab		0	XL140	Ergo gripp 6 tab wide	
0	XL100	Para grip 6 tab					
-			Turro Ou	ations			_
	XM010	Kenda	Tyre Op			Blue	
	XM130	Kenda black					
\sim				\sim	VMACCO	Seburalha One (24//25//)	
0	XM020	Schwalbe Marathon Plus		0	XM060	Schwalbe One (24",25" only)	
0	XM040	Shox solid airless (Black) (24",25" only)		0	XM050	Kenda K885 mountain bike tyre (24",25" only)	
_	W/500		Inner Tube Va			· · · · · · · · · · · · · · · · · · ·	
Ц	XY500	Schraeder inner tube valve (Standard if no option selected)			XY490	Presta inner tube valve	
			Wheel Acc	cessories		_	
0	XK310	Offroad wheel set 24" rim with ha	ndrim, MTB tyre	0	XK300	Offroad wheel set 22" rim with handrim,	MTB tyr

OOTA			Serial Number:				RCK
OCTA	iiel		Manufacturin	g Date:	/20		·9·
			FIN	ISH OPTIONS			
				& Component Fini:			
	XN010	Powder coated frame	!			XN150 Pc	owder coated components
	Bla Wh Gre Cre Rec Yel Ford Gre Blu Blu Duc	Glossck gloss 103aite gloss 100ey gloss 132am gloss 135d gloss 108low gloss 120ext green gloss 143et gloss 107k blue gloss 151ral blue gloss 154e gloss 174k gloss 188ange gloss 180	Frame Comp.	Matt Black matt 105 White matt 101 Grey matt 131 Light grey matt 133 Navy blue matt 152 Custom paint co Select colour/RAL:			ap. Special Chrome Mirror 300 Sparkle silver 170 Metallic black matt 104 Metallic grey matt 130 Black sandpaper 201 Grey sandpaper 202 White sandpaper 200
		rple gloss 157 Brushed frame			0	XN160 Br	rushed components
	FXTXN050	Polished frame			0	XN170 Pc	blished components
			Accent	Colour (Choose Or	ne)		
<u>Note:</u> Acce	nt colour in	ncludes forks only			,		
(î)		Black accent Red accent Purple accent				Silver accent Blue accent	
				PHOLSTERY			
	XP040	Contaling a divertable tage		eat Upholstery	XR050	Carlan films and	t slata
		Seat sling adjustable tens		0	XNOJO	Carbon fibre sea	t plate
			Bac	krest Upholstery			
	XP050	Airtech backrest strap ad	justable	0	XP060	Backrest upgrad (select colour)	e to full leather
0	FXTXP035	Airtech sub4 backrest str	ap ajustable	0	XP070		e to leather corners wn push handles) (select colour))
			Backrest Up	holstery Stitching (Options		
		Silver (Standard if not indicated		Black			Blue
		Red	,	Light blue			Purple
			Backrest L	Jpholstery Logo Op	otions		
		Silver (Standard if not indicated)	Black			Blue
		Red		Light blue			Purple
0 ;	XP110	Backrest with zip pocket (N/A with Sub4 backrest)		krest Accessories	XP170	Individual backre (N/A with Sub4 L (Please provide .	





		Manufacturi	ng Da	te: <u>/20</u>		
		Cur	CUS	SHION foam options		
0	XP080	Cushion foam with nylon cover (select density and size below)	SHIUH			
	(j) [Soft (CMS040)		Medium (CMS050)		Hard (9lb recon)
	C	50mm		75mm		100mm
		Cus	shion (cover options		
0	XP090	Air Lite cushion cover (Black)				
0	XP100	Leather cushion cover (select colour below)				
	(j) E	Black <i>(std)</i> Red				
			Jay	Cushion		
0	XP250	JAY Extreme Active fluid pad (Price subject to change dependant on size)		select size		
0	XP251	JAY Easy Visco (Price subject to change dependant on size)		select size		
	Other Ja	v cushion, please specify code, cost, size and desc	criptior	1:		
		A	CCE	SSORIES		
0	XR080	Frontwheel assembly (Only with XB010, TGAXB080, XB150)				
(Office use o	nly)	Frontwheel serial number:				
0	XP120	Frame protectors neoprene zip fasten				
0	XR010	Seat pouch velcro attach (Black)				
0	XR200	Rucksack with RGK logo (Black)				
0	XR100	FX carry bag				
	XR090	Tool kit				
	XS060	Calf strap				

Total Value:



Manufacturing Date: _____/20____



NOTES



Serial Number:

Manufacturing Date: /20



Data Privacy - Customer Order Forms

This data privacy notice tells you about the personal data we collect from you when you purchase one or more of our products. In collecting this personal data, we are acting as a data controller and, by law, we are required to provide you with information about us, about why and how we use your data, and about the rights you have over your data.

Who are we?

We are RGK Wheelchairs. Our address is Units 8a/b/c Ring Road, Zone 2, Burntwood Business Park ,Burntwood, Staffordshire, WS7 3JQ UK

You can contact us by post at the above address, by email at data.enquiries@rgklife.com or by telephone on +44 (0)1543 670077 -Any enquiries about our use of your personal data should use the contact details above.

What personal data do we collect?

When you purchase products from us, we ask you for your name, address, contact telephone number, email address. Where necessary some personal details such, as; height, weight, limb measurements and any disability or disease will be required. To fulfil your order (unless under contract) we will also need your bank account details.

Why do we collect this personal data?

We will use your personal data to allow the configuration and/or customisation of your purchase, process your order and to send you your goods. We will also send you an invoice and a delivery note. If we have a question about your delivery we will use your telephone number or email address to contact you.

We process special personal data (Health) for the purposes of the provision of healthcare treatment and manufacturing of your product. The Lawful basis for processing normal personal data is Legitimate Interest this enables us to complete your order, process your payment, deliver your goods and fulfil our contract with you.

What do we do with your information?

Your information is stored in our order processing system which is based within the European Union.

We use a third-party courier companies to deliver your goods and we share with them your name, address and telephone number in order to complete the delivery.

We do not use the personal data you provide to make any automated decisions that might affect you. Your data will be shared with an external dealer (if required) and internally with our Sales Team, Customer Services, Financial Services and Quality/Warranty departments to enable fulfilment of your order and provide support services.

How long do we keep your personal data for?

Your non-financial data will be stored for the period of the warranty of the particular product purchased for a maximum of five years.

Your financial data will be stored for seven years as is required by UK Law.

Your rights over your personal data

By law, you can ask us what personal data we hold about you. You can request a copy, correct it if it is inaccurate, request we erase it, and transfer a copy to another data controller.

You can also ask us to stop using your data if you believe we are not processing it lawfully.

To submit a request by email, post or telephone, please use the contact information provided in the 'Who are we?' section.

Your right to complain

If you have a complaint about our use of your information, you can contact the Information Commissioner's Office via their website at www.ico.org/concerns or write to them at:

Information Commissioner's Office Wycliffe House Water Lane Wilmslow Cheshire SK9 5AF